



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

B004233

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: FEBRUARY 2009**

**OWNER OF OPERATOR (Co.#1392)**

CA DEPT OF CORR & REHAB  
P.O. Box C5282  
El Centro, CA 92244

**EQUIPMENT LOCATION (Fac.#1422)**

Chuckawalla Valley State Prison  
19025 Wileys Well Road  
Blythe, CA 92226

**Description:**

DRY CLEANING UNIT, PERC consisting of: Frig O Sec, Model No L55, Serial No 38-F8-1240, with a built-in refrigerated vapor condenser.

**CONDITIONS:**

1. Operation of this equipment shall be conducted in compliance with all data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
2. This equipment shall be properly maintained and kept in good operating condition at all times.
3. The total quantity of solvent loss from this equipment shall not exceed 10 gallons in any one day.
4. A temperature gauge with a minimum range from 0 degrees F to 150 degrees F shall be installed in the outlet duct of the condenser.
5. The refrigeration condenser on the dry-to-dry unit shall be operated during this closed loop cool-down period until an air temperature from the condenser outlet is 45 degrees or lower.
6. Complete records of perchloroethylene used monthly shall be maintained and kept for at least 2 years. The records shall be in a format acceptable to the District and shall be made available to District personnel upon request.

Fee Schedule: 7 (a)

Rating: 1 device

SIC: 9223

SCC: 99999999

Location/UTM(Km):  
725E/3273N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

CA DEPT OF CORR & REHAB  
ATTN: Accounts Payable

El Centro, CA 92244

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

7. All waste materials which have come into contact with perchloroethylene shall be discarded as hazardous waste.