



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

T013035

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: JUNE 2020

OWNER OF OPERATOR (Co.#2412)

Kiewit Infrastructure West Co.
2200 Columbia House Blvd.
Vancouver, WA 98661

EQUIPMENT LOCATION (Fac.#3805)

Kiewit Infrastructure West Co.
State Route 58 & Highway 395
Boron, CA 93516

Description:

STORAGE SILOS, CEMENT/FLY ASH consisting of: Seven guppy storage silos, including; 6 used for Cement Storage, and 1 used for fly ash storage. Each silo is equipped with a blower, and all are are vented through the main baghouse operating under District permit. Facility Elevation is 752 meters above sea level.

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 1302]
2. This equipment and associated operations shall not discharge an exhaust stream that exhibits opacity greater than twenty percent (Ringlemann 1). [District Rule 401]
3. The owner/operator shall demonstrate proper operation through periodic visible emissions evaluations pursuant to condition 4. [District Rule 401; Rule 1303]
4. The owner/operator shall maintain current and on-site for three (3) years a log of the following information, which shall be provided to District personnel upon request:
 - a. Monthly visible emissions evaluations(when silo is being filled) using EPA Method 22 (and EPA method 9 if Method 22 detects visible emissions. In lieu of Method 9, o/o may cease operations until deficiencies contributing to opacity are corrected.)
 - b. Records of any maintenance and repairs.

Fee Schedule: 5 (c)

Rating: 150000 gallons

SIC: 3273

SCC: 30501117

Location/UTM(Km):
451E/3873N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Kiewit Infrastructure West Co.
2200 Columbia House Blvd.
Vancouver, WA 98661

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

[District Rule 1302]

5. During silo loading operations, emissions from these storage silos shall be controlled through the use of the main baghouse operating under valid District permit C013041; the baghouse shall be operated during all loading operations.

[District Rule 1302]

6. This facility is considered temporary and the associated Health Risks have been determined accordingly, therefore, the owner/operator shall notify the District via e-mail, facility name, contact, startup, and project completion information, as a minimum. This e-mail this information to Reporting@mdaqmd.ca.gov.

[District Rule 1320]

7. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b), H&S Code 39607 & 44341-44342, and 40 CFR 51, Subpart A]