



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

RENEWAL

C000532

Renewal type Permit has no description information.

EXPIRES LAST DAY OF: JULY 2025

OWNER OF OPERATOR (Co.#9)

Searles Valley Minerals Operations, Inc
13200 Main Street
Trona, CA 93562

EQUIPMENT LOCATION (Fac.#79)

SVM - Argus Facility
82090 First Street
Trona, CA 93562

Description:

BAGHOUSE (SODA ASH LINES) SCREENING PLANT consisting of: Wheelabrator-Frye, TA model 108 series 6P, which collects particulate matter from Soda Ash (Line Nos. 1, 2, and 3) screening house and conveyors. This unit includes a pickup point from loading a truck from the collection bin of the baghouse. This unit has a 75 hp fan (14,500 dscf/min) exhausting 216 bags, whose dimensions are 6 in diameter and 108 in long for a total filter area of 3053 sq ft. The unit has an A/C ratio of 5:1. Ancillary equipment includes a 3 hp screw conveyor and a 2 hp air lock.

CONDITIONS:

1. All equipment shall be maintained and operated in strict accord with recommendations of the manufacturer/supplier and/or sound engineering principles.

[District Rule 204]

2. This equipment shall be operated concurrently with Nos. 1, 2, and 3 Soda Ash Production lines (District permit B000537, B000538, and B000547) and with the unloading of the baghouse collection bin to a truck for offsite removal.

[District Rule 204]

3. The maintenance/inspection program shall be in accordance with the manufacturer's recommendations and/or sound engineering principles.

[District Rule 204]

4. The owner/operator shall conduct a minimum program of inspection and maintenance on this equipment. The owner/operator shall maintain current and on-site for five (5) years a log of the following information, which shall be provided to District personnel upon request:

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 1474

SCC: 30102127

Location/UTM(Km): 465E/3958N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Searles Valley Minerals Operations, Inc
P.O. Box 367
Trona, CA 93592-0367

By: **COPY**

Brad Poiriez

Air Pollution Control Officer

- (a) Daily reading of baghouse pressure drop (date and value);
 - (b) Monthly baghouse stack observation date and result (using USEPA Method 22, and USEPA Method 9 when visible emissions are detected), as outlined in condition 10;
 - (c) Annual bag and bag suspension system inspection (date and results);
 - (d) Date of bag replacements, and
 - (e) Date of any excursion, a description of corrective action, and proof of reporting as required by condition 9.
- [District Rule 204; 40 CFR 64]

5. The owner/operator shall maintain on-site, as a minimum, an inventory of replacement bags that assures compliance with applicable Rules of District Regulation IV.

[District Regulation IV]

6. The owner/operator shall conduct periodic compliance tests to establish grain loading, TSP emissions in lb/hr and PM10 emissions in lb/ton of throughput (assuming a PM10 fraction of 0.85). Testing shall be conducted at least once every thirty-six (36) months starting in 2001.

The owner/operator must submit a compliance/source test protocol at least thirty (30) days prior to the compliance/source test date. The owner/operator must conduct all required compliance/source tests in accordance with a District-approved test protocol. The owner/operator must notify the District a minimum of ten (10) days prior to the compliance/source test date so that an observer may be present. The final compliance/source test results must be submitted to the District within forty-five (45) days of completion of the test. All compliance/source test notifications, protocols, and results may be submitted electronically to reporting@mdaqmd.ca.gov

[District Rules 404, 405, and 1303(B)]

7. This baghouse shall discharge no more than 2.49 lb/hour of particulate at a maximum concentration of 0.02 grain/dscf at the operating conditions given in the above description.

[District Rules 404, 405, and 1303(A)]

8. This equipment, and the equipment covered by the following valid permits, shall not emit to the atmosphere PM10 (at a 0.85 fraction of TSP) in excess of 115 tons per year combined (verified through source tests and production records on a rolling twelve month summary basis): C000126, C000127, C000527, C000529, C000532, C000533, C000539, C000543, C000544, C000545, C000548, C000549, C000552, C000553, C000556, C002354, C002355, C003533, C003534, C003667, C003668, C003669, C003670, C003673, C003675, C003676, C003677, C004542, C004543, C004544.

[District Rule 1303(B) - Offsets]

9. The pollutant-specific emissions units (B000537, B000538, and B00547), for which this baghouse controls is subject to the requirements of Compliance Assurance Monitoring (CAM) of 40 CFR 64. As such this permit unit must be in compliance with an approved CAM Plan. An excursion of the CAM Plan is defined as a differential pressure outside the range of 2 to 6 inches of column; and/or, the presence of visible emissions, as demonstrated by condition 10. Any excursion of the CAM Plan requires the owner operator to do the following:

- (a) Inspect the affected equipment,
- (b) Initiate a corrective action, within 24 hours; and,
- (c) Report/Document the excursion in the log book required under condition 4.

[40 CFR 64.7(d)]

10. The owner/operator must conduct monthly 6-minute visible emissions inspections using EPA Method 22. The Method 22 test shall be conducted while the baghouse is operating. The test is successful if no visible emissions are observed. If any visible emissions are observed, the owner/operator of the affected facility must initiate corrective action within 24 hours to return the baghouse to normal operation. The owner/operator must record each Method 22 test, including the date and any corrective actions taken, in the logbook required under condition 4.

[40 CFR 64.7(a)]