



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### PERMIT TO OPERATE

T002244

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

**EXPIRES LAST DAY OF: NOVEMBER 2025**

#### OWNER OF OPERATOR (Co.#341)

Sherwin-Williams Company, The  
12401 Industrial Blvd  
Victorville, CA 92392

#### EQUIPMENT LOCATION (Fac.#1003)

Sherwin-Williams Company, The  
12401 Industrial Blvd  
Victorville, CA 92392

#### Description:

STORAGE TANKS, SOLVENT & RESIN consisting of: Tank Farm No. 2. Miscellaneous coating raw materials aboveground storage as follows:

#### EQUIPMENT

Capacity	Equipment Description
2	Bulk Storage Tank T2002 (2,000 gal), w/Supply Pump P2022
2	Bulk Storage Tank T2003 (2,000 gal), w/Supply Pump P2003
2	Bulk Storage Tank T2004 (2,000 gal), w/Supply Pump P2004
5	Bulk Storage Tank T5005 (5,000 gal), w/Supply Pump P5005
5	Bulk Storage Tank T5006 (5,000 gal), w/Supply Pump P5006
5	Bulk Storage Tank T5007 (5,000 gal), w/Supply Pump P5007
5	Bulk Storage Tank T5008 (5,000 gal), w/Supply Pump P5008
5	Bulk Storage Tank T5009 (5,000 gal), w/Supply Pump P5009
5	Bulk Storage Tank T5010 (5,000 gal), w/Supply Pump P5010
5	Bulk Storage Tank T5011 (5,000 gal), w/Supply Pump P5011

#### CONDITIONS:

Fee Schedule: 5 (b)      Rating: 41000 gallons      SIC: 2851      SCC: 30101404      Location/UTM(Km): 474E/3815N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Sherwin-Williams Company, The  
12401 Industrial Blvd  
Victorville, CA 92392

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

- 1.The owner/operator shall operate this equipment in strict accord with the manufacturer's specification and/or sound engineering principles.
- 2.Operation of this equipment shall be conducted in compliance with data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
- 3.This equipment shall be used for storage only and material stored in these tanks will be transferred, in closed piping, to paint mixing tanks.
- 4.Emissions from this facility shall not exceed:
  - a. 12 tons/year of PM10, based on a rolling twelve month basis; and
  - b. 1,190 pounds of VOC emissions per month, based on a rolling twelve-month basis; and
  - c. 8 tons per year for any single HAP and 20 tons per year for any combination of HAPs, calculated on a rolling twelve-month basis. HAPs defined in Section 112(b) of the Federal Clean Air Act, see <http://www.epa.gov/ttn/atw/orig189.html>).[District Rules , 1303 - Requirements and 1320 - NSR for Toxic Air Contaminants]
- 5.The owner/operator of this facility shall maintain an operations log current and on-site for two (2) years, and shall be provided to District personnel upon request. This log shall demonstrate compliance with the VOC limit designated in condition 4, and the HAP limit designated in condition 5, using a District-approved method, with at least the last two years of monthly emissions summaries maintained for a minimum of two years and provided to District, State or Federal personnel upon request.
- 6.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.  
[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]