



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

T003696

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: NOVEMBER 2023**

### **OWNER OF OPERATOR (Co.#54)**

Ducommun AeroStructures  
4001 El Mirage Road  
Adelanto, CA 92301

### **EQUIPMENT LOCATION (Fac.#246)**

Ducommun AeroStructures  
4001 El Mirage Road  
Adelanto, CA 92301

#### **Description:**

CLEANING TANK - NITRIC ACID consisting of: Tank K-3 is approximately 6 ft by 5 ft by 4 ft deep with an operating capacity of 800 gallons. This tank may operate up to 150 degrees F.

#### **CONDITIONS:**

1. This equipment shall not be operated unless it is vented to acid fume scrubber operating under valid District Permit number C002571.

2. Emissions from this facility shall be less than the following limits:

- a. 15 tons of PM10 calculated on a 12 month rolling sum
- b. 25 tons of NOx calculated on a 12 month rolling sum
- c. 25 tons of VOC calculated on a 12 month rolling sum

Compliance with this limit shall be verified with monthly facility emission summaries and an annual emissions inventory. Monthly emissions summaries shall be calculated using a District-approved method, with at least the last two years of monthly emissions summaries maintained and available to be provided to District, State or Federal personnel upon request. 12 month rolling sum summary shall be submitted to the District and to USEPA postmarked no later than July 30 of each year. The 12 month rolling sum summary will consist of twelve monthly (July 1 to June 30) sum values.

[District Rule 1303]

3. The facility must submit accurate emissions inventory data to the District, in a format approved by the District, on a yearly basis, which is to be received by the District no later than April 30 of each year.

Fee Schedule: 5 (a)

Rating: 1000 gallons

SIC: 3479

SCC: 99999999

Location/UTM(Km):  
447E/3829N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Ducommun AeroStructures  
4001 El Mirage Road  
Adelanto, CA 92301

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer