



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

A005015

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: NOVEMBER 2025

OWNER OF OPERATOR (Co.#87)

Commanding Officer, MCLB Barstow, CA
Box 110570 Bldg 196 Attn: Air Program Manager
Barstow, CA 92311-5050

EQUIPMENT LOCATION (Fac.#587)

USMC MCLB - Yermo Annex
USMC Logistics Base
Barstow, CA 923115013

Description:

ABRASIVE BLASTER, ROTARY (BLDG 573 SMALL ARMS) consisting of: Goff table blaster, Model 72PTW/1016DC, with an abrasive reclaim system (screw auger and elevator) and integral dust collector (3 HP, 1000 CFM blower; 10 filter cartridges, each 8 inches diameter x 16 inches long, with a total filter area 540 sq. ft.) Facility Elevation is 1964 ft above MSL.

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 1302(B)(1)(a)]

2. This abrasive blasting booth shall not be operated unless vented to the functioning air pollution control device listed in the above Description. [District Rule 1302(B)(1)(a)]

3. This abrasive blasting booth must be equipped with tight fitting seals around all openings, doors, windows, seams, etc. so as to prevent the escape of particulate matter into the ambient air while in use. [District Rule 1302(B)(1)(a)]

4. The owner/operator shall not discharge into the atmosphere a visible emission with a shade as dark or darker than Ringelmann 1, or

Fee Schedule: 7 (i)

Rating: 1 device

SIC: 9711

SCC: 30900205

Location/UTM(Km): 512E/3861N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Commanding Officer, MCLB Barstow, CA
Box 110570 Attn: Air Program Manager
Barstow, CA 92311-5050

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

with an opacity of 20% or greater for any period aggregating more than three minutes in any one hour.
[District Rules 1302(B)(1)(a) and 401; 17 CCR 92200(b)]

5.The owner/operator shall maintain an operations log for this unit current and on-site (or at a central location) for a minimum of five (5) years, and this log shall be provided to District, State and Federal personnel upon request. The log shall include, at a minimum, the information specified below for each date of use:

- a. Number of hours used;
- b. Manufacturer's name and product name/code number of each abrasive material used; and
- c. Quantity of each abrasive material used, in pounds.

[District Rule 1302(B)(1)(a), 40 CFR 70.6(a)(3)(ii)(b)]

6.The District does not currently require periodic source testing of this abrasive blasting booth or its associated air pollution control device, although such testing may be required in the future.

[District Rule 1302(B)(1)(a)]

7.A facility-wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[Rule 107(b), HSC 39607 and 44341-44342, 40 CFR 51, Subpart A]