



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

B004500

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: NOVEMBER 2011

OWNER OF OPERATOR (Co.#87)

Commanding Officer, MCLB Barstow, CA
Box 110570 Bldg 196 Attn: Air Program Manager
Barstow, CA 92311-5050

EQUIPMENT LOCATION (Fac.#587)

USMC MCLB - Yermo Annex
USMC Logistics Base
Barstow, CA 923115013

Description:

OIL-WATER SEPARATOR NO. 2 (BLDG 609) consisting of: a Great Lakes Environmental, Inc., Slant Rib Coalescing Separator II, Model SRC-75, with pumps, electrical, tanks, and other appurtenances (see Engineering Evaluation). Note: Much of the equipment ancillary to this unit is common to B004499, Oil-Water Separator I. B004499 and B004500 may function separately or simultaneously. This unit receives flow from the Raw Storage Tanks (T-1 and T-2), rejects oily discharge to Oily Water Storage Tanks (T-3 and T-20), and discharges into the ultra filtration system (tank T-30).

CONDITIONS:

1. The engineering and design submittal is an integral part of this permit and are specific limitations to the operation of this system unless specifically exempted above.
2. The owner/operator (o/o) shall operate all equipment described in this permit in strict accord with the design and/or sound engineering principles which produce the minimum emission of air contaminants.
3. The o/o shall maintain a current, on-site log for this equipment for a minimum of five (5) years and shall provide this log to District, State or Federal personnel upon request. The log shall include at least the following information:
 - a. Monthly volume of liquid entering the oil-water separators (in gallons).
 - b. Date and volume of liquid disposed of to Certified off-base handling facilities from Tank T-12 (in gallons).

Fee Schedule: 7 (i)

Rating: 1 device

SIC: 9711

SCC: 9999999

Location/UTM(Km):
512E/3861N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Commanding Officer, MCLB Barstow, CA
Box 110570 Attn: Air Program Manager
Barstow, CA 92311-5050

By: **COPY**
Eldon Heaston
Air Pollution Control Officer