



**MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT**

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**PERMIT TO OPERATE**

B009668

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

**EXPIRES LAST DAY OF: MAY 2026**

**OWNER OF OPERATOR (Co.#503)**

Robertson's Ready Mix  
P.O.Box 3600  
Corona, CA 92878

**EQUIPMENT LOCATION (Fac.#1174)**

Robertson's Ready Mix - Adelanto  
12203 Violet Road  
Adelanto, CA 92301

**Description:**

CONCRETE BATCH PLANT consisting of:

**EQUIPMENT**

Capacity	Equipment Description
0	4 Storage Hoppers @ 1350 cubic feet total capacity
0	Cement Silo @ 2600 cubic feet capacity
0	Cement Weigh Hopper @ 75 cubic feet capacity
0	Aggregate Weigh Hopper @ 265 cubic feet capacity
25	Aggregate Belt Conveyor, 30 " W x 60' L
0	Hooded Up/Down Hopper with water spray
20	Air Compressor

**CONDITIONS:**

1. The owner/operator (o/o) shall maintain this equipment in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants.

Fee Schedule: 1 (b)

Rating: 45 bhp

SIC: 3273

SCC: 30501106

Location/UTM(Km):  
459E/3826N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Robertson's Ready Mix  
P.O. Box 3600  
Corona, CA 92878-3600

By: **COPY**  
**Eldon Heaston**  
Air Pollution Control Officer

2. This equipment and associated operations shall not discharge an exhaust stream that exhibits opacity greater than twenty percent (Ringelmann 1).

3. This equipment shall not be operated unless the associated cement/fly ash weigh hopper and up/down hopper emissions are vented through a properly operating baghouse with a valid District permit C009669.

4. The owner/operator (o/o) shall maintain a log which contains at a minimum:

- a. all material throughput amounts - daily;
- b. cubic yards of concrete mix produced per day;
- c. total number of hours operated;
- d. all inspections - daily;
- e. repairs, and maintenance on equipment - as performed.

Logs shall be maintained at either the facility or corporate office for at two (2) years and available to District, State, or Federal personnel upon request.

5. The o/o shall ensure that the materials used in the equipment contain sufficient natural and/or added moisture to preclude violations of District rules 401, 402 and 403. These rules pertain to opacity, dust blowing off of the property and nuisance. The o/o shall maintain sufficient water and equipment for its application in operable condition and on-site, and use it as necessary on material piles, haul roads, and in the plant to prevent violations of the above rules.

6. All open material transfer points, such as conveyor drops, hopper and bin loading, shall be equipped with water sprays to minimize emissions of particulate matter.

7. Cement and Fly Ash Truck unloading shall only occur through a properly operating pneumatic truck unloading system, and only into designated storage silos, venting to properly operated and maintained Filter Vents.

8. This facility shall emit less than the following in any twelve (12) month period:

- a. 12 tons of PM10;
- b. 8 tons per year of any single HAP or 20 tons per year of any combination of HAPs.

Compliance with this limit shall be verified with monthly facility emission summaries and rolling 12 month average. Monthly emissions summaries shall be calculated using a District-approved method, with at least the last two years of monthly emissions summaries maintained for a minimum of two years and provided to District, State or Federal personnel upon request.

9. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]