



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

B011760

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: JUNE 2016

OWNER OF OPERATOR (Co.#122)

SKANSKA USA Civil West Region
1995 Agua Mansa Road
Riverside, CA 92509-2405

EQUIPMENT LOCATION (Fac.#1556)

SKANSKA - Various Loc
District Wide
MDAQMD, CA 92392

Description:

PORTABLE UNLOADING SYSTEM consisting of:

EQUIPMENT

Capacity	Equipment Description
0	Drive-Over Hopper
20	42" Belt Conveyor
20	42" Belt Conveyor
50	36" Radial Stacker

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rules 203 and 1302]

2. If line power is not available, electrical power for this facility shall only be provided by an engine (or engines) with a valid District permit or a valid PERP Registration. [District Rule 1302]

Fee Schedule: 1 (d)

Rating: 1 bhp

SIC: 5541

SCC: 30500204

Location/UTM(Km):
473E/3956N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

SKANSKA USA Civil West Region
1995 Agua Mansa Road
Riverside, CA 92509-2405

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

3. This equipment must be equipped with a high pressure water spray system with nozzles at the hopper drop to the conveyor, the conveyor drop points/head pulleys, and the radial stacker drop point/head pulley. [District Rule 1302]

4. The owner/operator will periodically monitor opacity from fugitive emission points according to the following methodology:
 - a. The owner or operator must initially conduct a monthly EPA Method 9 visible emissions evaluation of each affected source. The test must be conducted while the affected source is in operation.
 - b. If no visible emissions are observed during the monthly test for any affected source for six months, the owner or operator may decrease the frequency of testing from monthly to semi-annually for that affected source. If visible emissions are observed during any semi-annual test, the owner or operator must resume testing of that affected source on a monthly basis and maintain that schedule until no visible emissions are observed in six consecutive monthly tests. (40 CFR Part 60.675 (h)(1)).

5. Materials processed by this equipment shall contain sufficient moisture to control fugitive dust. For this aggregate material, sufficient moisture means 2.0% or greater. The moisture content of the aggregate material shall be analyzed twice monthly according to material moisture test ASTM C566-13 or District approved equivalent method.[District Reg XIII]

6. Roadways, work areas and stockpiles shall be kept wetted to control fugitive dust. Equipment to properly wet the material being processed shall be maintained in operable condition on-site and used as necessary to assure compliance. [District Reg IV]

7. Visible emissions from this equipment shall not exceed an opacity equal to or greater than twenty percent (20%) for a period aggregating more than three (3) minutes in any one (1) hour, excluding uncombined water vapor. [District Rule 401(b)(1)]

8. The owner/operator shall comply with all applicable Rules and Regulations of the District. Applicable rules include, but are not necessarily limited to Rules 401, 402, and 403 which pertain to Visible Emissions, Nuisance, and Fugitive Dust, respectively.

9. The facility shall not emit more than 14.9 tons of PM10 nor more than 24.9 tons of NOx per year.

10. This facility must submit a Comprehensive Emissions Inventory (CEI) to the District in accordance with District CEI Guidelines and in a format approved by the District, upon District request.

11. This equipment is not to be used to process Hazardous Air Pollutant (HAP) containing materials.

12. The owner / operator shall notify the District in writing when this equipment is moved to a new worksite. Notification is not required when transferring this equipment to a storage location.