



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

C010707

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: JUNE 2021

OWNER OF OPERATOR (Co.#2425)

Diversified Minerals, Inc.
1100 Mountain View Ave, Suite F
Oxnard, CA 93030

EQUIPMENT LOCATION (Fac.#2582)

Diversified Minerals, Inc.
12808 Rancho Road
Adelanto, CA 92301

Description:

DUST COLLECTOR consisting of: Two FlexKleen pulsejet dust collectors. Each dust collector with 25-5" dia. X 59" long bags. Common 10 hp blower moving 2000 cfm.

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rules 204 and 1302]

2. If line power is not available, power for this equipment shall only be provided by an engine with a valid District permit. [District Rules 1302 and 1320]

3. This baghouse shall operate concurrently with the Sand Drying System under valid District permit number B012972. [District Rule 1302]

4. This unit shall be equipped with a device to measure the pressure differential across the bags (monometer). This gauge shall be maintained in working order and reading shall be visible through the gauge cover. [District rules 1302 and 1303]

5. This air pollution control device shall not discharge into the atmosphere an exhaust stream that exhibits greater than twenty percent opacity.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 5032

SCC: 30502510

Location/UTM(Km): 459E/3826N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Diversified Minerals, Inc.
1100 Mountain View Ave, Suite F
Oxnard, CA 93030

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

[District Rule 401]

6.The o/o shall conduct a minimum program of inspection and maintenance on this equipment. The o/o shall maintain current and on-site for two (2) years a log of the following information, which shall be provided to District personnel upon request:

(a) Weekly reading of baghouse pressure drop, date and value.

(b) Date of bag replacements.

(c) Annual inspection of integrity of baghouse including hatches and seals and bag and bag suspension system, date and result.

(d) Date and nature of any system repairs.

[District rules 1302 and 1303]

7.The owner/operator shall maintain on-site a minimum inventory of replacement bags that assures compliance with these conditions.

[District Rule 204]

8.This equipment shall only discharge to sealed containers.

[District Rule 204]

9.In the event of any equipment malfunction or breakdown as defined in District Rule 430, the event must be reported to the District within one hour.

[District Rule 430]

10.The facility shall not emit more than 24.9 tons/year of PM10.

[District Rule 1303 (A) BACT, (B) Offsets]

11.Existing equipment cannot be replaced and/or new equipment cannot be added without submitting an application to the District and receiving a new Permit from the District.

[District Rule 201]

12.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]