



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

C012919

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: FEBRUARY 2026

OWNER OF OPERATOR (Co. #1315)

Valley Collision Center
13920 Amargosa Road
Victorville, CA 92392

EQUIPMENT LOCATION (Fac. #2532)

Valley Collision Center - Amargosa Rd
13920 Amargosa Rd
Victorville, CA 92392

Description:

SPRAY BOOTH, AUTOMOTIVE PREP STATION consisting of: A custom fabricated automotive refinishing prep station that includes a steel air plenum housing containing twelve (12) 3-stage fiberglass prep filters, measuring 19.5" X 19.5" approximately 2" thick each; an air plenum that measuring 44" H X 10" L 30" deep, equipped with a Dayton Model 3C411B exhaust fan assembly at the upper center area that contains a belt drive, 24" tube axial fan, running at 1688 rpm, driven by a 220V, 2 hp motor. Filtration system vents through a 24" diameter stack that penetrates the building ceiling at approximately 20' height. The prep station is 46' L X 10' H X 18' D equipped with retractable curtains on rails on three sides and the buildings wall on the north side. Facility Elevation is 3017 feet above sea level.

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 1302 - Procedure]

2. The owner/operator shall institute a program of maintenance which includes at a minimum monthly visual inspections of all associated equipment (inclusive of the filters and their support systems). [District Rule 1302 - Procedure]

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 7532

SCC: 40200201

Location/UTM(Km): 473E/3820N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Valley Collision Center
13920 Amargosa Road
Victorville, CA 92392

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

- 3.The owner/operator shall maintain an inventory of replacement filters on-site at all times which will ensure compliance with applicable Rules of District Regulation IV.
[District Rule 1302 - Procedure]
- 4.The owner/operator shall log all the items in condition 2 above in addition to filter replacements, repairs and non-scheduled maintenance. The log shall be kept current, on-site for a minimum of two (2) years and provided to District personnel on request.
[District Rule 1302 - Procedure]
- 5.This filtration system shall discharge at a maximum concentration of 0.01 gr/dscf at the operating conditions described in the above description.
[District Rule 1302 - Procedure]
- 6.This equipment does not require a regularly scheduled emission compliance test. However, emission compliance testing may be required at the discretion of the District.
[District Rule 1302 - Procedure]
- 7.Emissions from this facility shall not exceed:
- a. 12 tons/year of PM10, based on a rolling twelve month basis;
 - b. 1,190 pounds of VOC emissions per month, based on a rolling twelve-month basis; or,
 - c. 8 tons per year for any single HAP and 20 tons per year for any combination of HAPs, calculated on a rolling twelve-month basis.
- HAP is defined in Section 112(b) of the Federal Clean Air Act, see <http://www.epa.gov/ttn/atw/orig189.html>)
[District Rules 1303 - Requirements and 1320 - NSR for Toxic Air Contaminants]
- 8.The owner/operator of this facility shall maintain an operations log current and on-site for two (2) years, and shall be provided to District personnel upon request. This log shall demonstrate compliance with the emission limits specified in condition 7, using a District-approved method, with at least the last twenty four months of rolling emissions summaries maintained for a minimum of two years and provided to District, State or Federal personnel upon request.
[District Rule 1303 - Requirements]
- 9.Vehicle sanding operations shall only occur in the vehicle prep area with the curtains closed and the air filtration system on and operating properly.
[District Rule 1303 - Requirements]
- 10.A person shall not discharge into the atmosphere from any single source of emission whatsoever any air contaminant for a period or periods aggregating more than three minutes in any one hour which is:
- a. As dark or darker in shade as that designated No. 1 on the Ringelmann Chart (20%), as published by the United States Bureau of Mines.
- [District Rule 401 - Visible Emissions]
- 11.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.
[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]