



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### RENEWAL

C012952

Renewal type Permit has no description information.

**EXPIRES LAST DAY OF: JUNE 2025**

#### **OWNER OF OPERATOR (Co.#2376)**

High Caliber Organics  
16176 Beaver Road  
Adelanto, CA 92301

#### **EQUIPMENT LOCATION (Fac.#3756)**

High Caliber Organics  
16176 Beaver Road  
Adelanto, CA 92301

#### **Description:**

ODOR CONTROL AIR FILTRATION SYSTEM, CANNABIS CULTIVATION consisting of: Quantity of 26 Active Can-Lite carbon filters used to control VOC and odor, max. exhaust flow rate 2500 CFM. Each filter unit is served by a 14" Max-Fan HO.

#### **CONDITIONS:**

1. This air pollution control device shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 204]

2. This facility shall notify the District within 10 days of equipment start up or thirty days of permit issuance whichever is later to schedule an initial inspection. Email notification shall be sent to [engineering@mdaqmd.ca.gov](mailto:engineering@mdaqmd.ca.gov).

3. This equipment to be operated on line power only.  
[District Rule 1302]

4. The filters used in these Air Filtration Systems shall have the manufacturer's recommended prefilters properly installed whenever the system is in operation.  
[District Rule 1302]

5. Odors from this equipment shall be non-detectable. The owner/operator shall conduct quarterly odor detection checks at the exhaust of the above described equipment to ensure that breakthrough has not occurred. If odors are detected, either the filters must be

Fee Schedule: 7 (h)      Rating: 1 device      SIC: 191      SCC: 30299999      Location/UTM(Km): 458E/3823N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

High Caliber Organics  
16176 Beaver Road  
Adelanto, CA 92301

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

changed immediately, the odor misting system must be properly adjusted, or both, until the odors are no longer detectable.  
[District Rules 204 and 402]

6.The owner/operator must take all steps necessary to preclude odor migration from this facility, including but not limited to, carbon filter change outs whenever breakthrough is indicated by the integral sensor, keeping doors and windows closed to the maximum extent possible, isolating odor-emitting activities from other areas of the buildings through closing doors and windows, and operating all seventeen air filters continuously during cultivation activities.  
[District Rule 402]

7.A log pertaining to the operation of this equipment shall be kept for a period of two (2) years, and must be made available upon request of District personnel. This log shall contain the following information:  
a. The date and time of each charcoal/carbon filter replacement; and,  
b. A copy of the manufacturer's specification for control efficiency for the charcoal/carbon filters.  
[District Rule 204]

8.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.  
[District Rule 107(b), H&S Code 39607 & 44341-44342, and 40 CFR 51, Subpart A]