



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

DCP000158

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: MAY 2027

OWNER OF OPERATOR (Co.#457)

Victor Valley Community College District
18422 Bear Valley Road
Victorville, CA 92392

EQUIPMENT LOCATION (Fac.#1127)

Victor Valley Community College District
18422 Bear Valley Road
Victorville, CA 92392

Description:

DUST CONTROL PLAN (RULE 403(C)(9) SOLAR PHOTOVOLTAIC PROJECT) consisting of: a 7.53 acre solar photovoltaic facility at Victor Valley College. Contact person is Kevin Gee (760) 245-4271 x2472 and twenty-four hour contact is Leonard Knight (760) 245-4271 x2555. This Dust Control Plan and project/facility/site was inspected by District staff as required by Rule 403(D)(7) on [12/03/2025].

CONDITIONS:

1. The owner/operator (o/o) shall comply with the dust control plan application submitted in response to Rule 403, as approved by the Air Pollution Control Officer (APCO) and incorporated into this Dust Control Plan (DCP) by reference, including those specific elements regarding watering for perimeter fencing, short-term stabilization, and high wind condition actions.
[Rule 403(C)(9) and (D)(1)]
2. The o/o shall install and maintain signage in accordance with Rule 403 Attachment B and as approved by the Air Pollution Control Officer (APCO).
[Rule 403(D)(3)]
3. This DCP indicates that the dust control plan application submitted in response to Rule 403 has been conditionally approved by the APCO. Full approval of this DCP is contingent upon satisfying an initial on-site inspection by MDAQMD staff. This DCP remains valid

Fee Schedule: 12 (N/A)

Rating: 1 plan

SIC: 8221

SCC: 2311020010

Location/UTM(Km):
473E/3820N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Victor Valley Community College District
18422 Bear Valley Road

Victorville, CA 92392

By: **COPY**
Brad Poiriez
Executive Director

until closure of the project, unless disapproved by the APCO or not recertified in accordance with Rules 302 and 403.
[Rules 302(J)(6) and 403(D)(5)]

4. The o/o must notify the Mojave Desert Air Quality Management District (District) within ten days if a significant change occurs to the project or operations covered by this DCP (by mail, facsimile or email to DCP@mdaqmd.ca.gov). An appropriately modified dust control plan application must be submitted to the District within thirty days of the change.
[Rule 403(D)(8)]

5. The o/o shall recertify this DCP annually through response to the renewal invoice and Rule 302.
[Rules 302(J)(6) and 403(D)(9)]

6. The o/o shall pay submittal, resubmittal/recertification, site inspection, and site stability inspection fees as specified in Rule 302, Rule 403 and as specified above, or this DCP shall be deemed disapproved by the APCO.
[Rule 403(D)(11)]

7. The o/o shall maintain a copy of the dust control plan application, and records demonstrating compliance with the requirements of this DCP and Rule 403. Compliance demonstration records are required only for those days that a control measure was implemented. Records shall be maintained for at least two years (or through the closure of the project), and shall be provided to District personnel upon request.
[Rule 403(F)(1)]

8. The o/o shall not cause or allow the emissions of fugitive dust from any transport, handling, construction or storage activity so that the fugitive dust is visible in the atmosphere beyond the property line of the emissions source.
[Rule 403(C)(1)]