



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

T001755

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: MAY 2026

OWNER OF OPERATOR (Co. #2239)

CalPortland Company
19409 National Trails Hwy
Oro Grande, CA 92368

EQUIPMENT LOCATION (Fac. #3)

CalPortland Oro Grande
19409 National Trails Hwy
Oro Grande, CA 92368

Description:

SILOS, CEMENT STORAGE consisting of: Silos 13 through 17, Process Group 611

EQUIPMENT

Capacity	Equipment Description
39.2	Cement Silo 13 611SL113 (2460 ton and 392,000 gallon capacity)
39.2	Cement Silo 14 611SL114 (2460 ton and 392,000 gallon capacity)
39.2	Cement Silo 15 611SL115 (2460 ton and 392,000 gallon capacity)
39.2	Cement Silo 16 611SL116 (2460 ton and 392,000 gallon capacity)
11.8	Cement Silo 17 611SL117 (740 ton and 118,000 gallon capacity)

CONDITIONS:

1. This equipment shall be installed, operated, and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 204]

Fee Schedule: 5 (c)

Rating: 1686000 gallons

SIC: 3241

SCC: 30500618

Location/UTM(Km):
469E/3830N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

CalPortland Company
Attn: Catalina Elias

Oro Grande, CA 92368

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

2. Cement silo 13 611SL113, cement silo 14 611SL114, cement silo 15 611SL115, cement silo 16 611SL116, and cement silo 17 611SL117 shall not be operated unless vented to baghouses C001739 (611BF015) and C010852 (611BF070).
[District Rule 204, 1303(A)]

3. All equipment shall be operated in compliance with applicable requirements of 40 CFR 63 Subpart LLL - National Emission Standard for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry.
[40 CFR Part 63 Subpart LLL]