



# MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

## PERMIT TO OPERATE

T002658

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

**EXPIRES LAST DAY OF: JUNE 2026**

### OWNER OF OPERATOR (Co. #445)

Northwest Pipe Co  
12351 Rancho Road  
Adelanto, CA 92301

### EQUIPMENT LOCATION (Fac. #1112)

Northwest Pipe Co  
12351 Rancho Road  
Adelanto, CA 92301

#### Description:

LARGE COATER, SILO SYSTEM #6 consisting of: Cement silo

#### EQUIPMENT

Capacity	Equipment Description
10	10' diameter x 18'H (Silo w/ 10,000 gallons capacity).
0	Bin Vent System
0	Flex-Kleen model 36BV, serial No. 2148
0	Bags, 25 cotton, 3'L x 6" diameter (112 ft2 of cloth)
0	Air-to-Cloth Ratio: 4.46:1 (500 SCFM air from pump on servicing truck)
0	Air outlet, 6" diameter, 40' above grade
0	Reverse pulse jet cleaning

#### CONDITIONS:

Fee Schedule: 5 (b)

Rating: 13700 gallons

SIC: 3317

SCC: 30501115

Location/UTM(Km):  
465E/3824N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Northwest Pipe Co  
12351 Rancho Road  
Adelanto, CA 92301

By: **COPY**  
**Brad Poiriez**  
Executive Director

1. The owner/operator (o/o) shall maintain this equipment in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants.  
[District Rule 204]
  
2. This silo shall not be operated unless vented to a properly functioning integral bin vent system.  
[District Rule 204]
  
3. Total amount of cement charged to equipment at this facility shall not exceed 187 ton per day.  
[District Rule 204]
  
4. The o/o shall maintain a daily operating log which contains at least the following information:
  - a) hours per day this line operated,
  - b) amount in tons of lined and/or coated pipe produced by each line,
  - c) amount of cement and/or raw materials used, and
  - d) all maintenance activities.A copy of the log shall be kept on-site for at least five (5) years and made available to the District upon request by authorized District personnel.  
[District Rule 204]
  
5. This facility shall not produce more than 500 ton of lined, coated or wrapped pipes per day.  
[District Rule 204]
  
6. The o/o shall conduct a minimum program of inspection and maintenance on this bin vent. The o/o shall maintain current and on-site for five (5) years a log of the following information, which shall be provided to District personnel upon request:
  - a) Monthly dust collector stack observation date and result (using USEPA Method 22, and USEPA Method 9 if a Method 22 detects opacity) which must be conducted while the equipment is being charged;
  - b) Quarterly bag and bag suspension system inspection date and results;
  - c) Weekly reading of dust collector pressure drop, date and value;
  - d) Date of bag replacements; and,
  - e) Date and nature of any system repairs.[District Rule 204]
  
7. This equipment shall discharge no more than 0.04 pounds per hour of PM10 at a maximum concentration of 0.01 grains/dscf at the operating conditions given in the above description (BACT). This equipment does not require a regularly scheduled emission compliance test. However, emission compliance testing may be required at the discretion of the District.  
[District Rule 1303(A)]
  
8. This equipment shall be equipped with a device to measure the pressure differential across the bin vent system (manometer).  
[District Rule 204]
  
9. The o/o shall maintain on-site a minimum inventory of replacement bags that assures compliance with these conditions.  
[District Rule 204]
  
10. This facility has elected to voluntarily limit its emissions to the extent that this facility is no longer subject to the provisions of Regulation XII - Federal Operating Permits [District Rule 221(B)]. As such, the facility-wide emissions must less than the following limitations:
  - a) 80 tons per year of Carbon Monoxide (CO) per calendar year;
  - b) 20 tons per year of Oxides of Nitrogen (NOx) per calendar year;
  - c) 25 tons per year of Volatile Organic Compounds (VOC) per each consecutive twelve-month period (synthetic minor designation);
  - d) 80 tons per year of Particulate Matter of 10 microns or less (PM10) per calendar year;
  - e) 20 tons per year of Oxides of Sulfur (SOx) per calendar year;

- f) 8 tons per year of any single Hazardous Air Pollutant (HAP) per calendar year; and,
- g) 20 tons per year of any combination of HAP per calendar year.

Compliance with these emission limitations must be verified by pollutant-specific emission summaries for each calendar year except for VOC which must be verified for each consecutive twelve-month period. These emission summaries must be retained on-site for a minimum period of five (5) years; and, must be made available for review upon request by District, State or Federal personnel.  
[District Rules 221(B) and 1201(S)]

In addition, this facility is designated as a Major Source of PM10 under Regulation XIII - New Source Review, as it has a Potential to Emit in an amount equal to or greater than 15 tons per year of PM10; therefore, any new Permit Unit or any Modified Permit Unit at this facility must be fully offset pursuant to District Rule 1303(B).  
[District Rules 1301(II) and 1303(B)]

11. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.  
[District Rule 107(b); H&S Code 39607 & 44341-44342; 17 CCR 93400 et seq., and 40 CFR 51, Subpart A]