MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT
14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

RENEWAL

T003926

Renewal type Permit has no description information.

EXPIRES LAST DAY OF: NOVEMBER 2026

OWNER OF OPERATOR (Co.#87)

Commanding Officer, MCLB Barstow, CA
Box 110570 Bldg 196 Attn: Air Program Manager
Barstow, CA 92311-5050

EQUIPMENT LOCATION (Fac.#587)

USMC MCLB - Yermo Annex
USMC Logistics Base
Barstow, CA 923115013

Description:
INDUSTRIAL WASTEWATER TANKS (BLDG 609) consisting of: two aboveground open top storage tanks (raw storage tank T-1 and raw storage tank T-2), SN 70-22 and 70-23, used for equalization of influent wastewater flows to the IWTP. Equipped with an oil skimmer which feeds Oily Water Storage Tank T-20 through a joint collection box. Facility Elevation is 1964 ft above MSL.

EQUIPMENT

Capacity	Equipment Description
21	Raw Storage Tank T-1, 40' L by 9' H by 8' W, 21,000 gallon capacity
21	Raw Storage Tank T-2, 40' L by 9' H by 8' W, 21,000 gallon capacity

CONDITIONS:

1. The owner/operator (o/o) shall operate this equipment in strict accordance with the manufacturer's specifications and/or sound engineering principles.
[District Rule 1302(B)(1)(a)]

2. The o/o shall maintain a log of the records to verify proper disposal of the oil collected in Tank T-3 and Tank T-20 to Certified off-base handling facilities, including date of disposal and quantity disposed. These records shall be maintained on site for a minimum of five years.

Fee Schedule: 5 (b) | Rating: 42000 gallons | SIC: 9711 | SCC: 99999999 | Location/UTM(Km): 512E/3861N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Commanding Officer, MCLB Barstow, CA
Box 110570 Attn: Air Program Manager
Barstow, CA 92311-5050

By: **COPY**
Brad Poiriez
Executive Director

UNOFFICIAL

[District Rule 1302(B)(1)(a)]

3. A facility-wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.
[Rule 107(b), HSC 39607 and 44341-44342, 40 CFR 51, Subpart A]