



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### PERMIT TO OPERATE

T007452

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

**EXPIRES LAST DAY OF: MAY 2026**

#### OWNER OF OPERATOR (Co. #2239)

CalPortland Company  
19409 National Trails Hwy  
Oro Grande, CA 92368

#### EQUIPMENT LOCATION (Fac. #3)

CalPortland Oro Grande  
19409 National Trails Hwy  
Oro Grande, CA 92368

#### Description:

KILN FEED STORAGE SILOS consisting of: Process Group 341

#### EQUIPMENT

Capacity	Equipment Description
3.8	Raw Meal Silo 341SI101 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI102 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI103 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI104 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI105 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI106 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI107 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI108 (2200 ton and 380,000 gallon)
3.8	Raw Meal Silo 341SI109 (2200 ton and 380,000 gallon)
0.75	Interstices Silo 341SI110 (350 ton and 75,000 gallon)
0.75	Interstices Silo 341SI111 (350 ton and 75,000 gallon)
0.75	Interstices Silo 341SI112 (350 ton and 75,000 gallon)
0.75	Interstices Silo 341SI113 (350 ton and 75,000 gallon)

Fee Schedule: 5 (d)

Rating: 3720000 gallons

SIC: 3241

SCC: 30500699

Location/UTM(Km): 469E/3830N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

CalPortland Company  
Attn: Catalina Elias

Oro Grande, CA 92368

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

**CONDITIONS:**

1.This equipment must be installed, operated, and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment must also be operated in accordance with all data and specifications submitted with the application for this permit.  
[District Rule 204]

2.Silos 341SI101 through 341SI109 shall not be operated unless vented to baghouses C007462 (341BF101) and C007463 (341BF103). Silos 341SI110 through 341SI113 shall not be operated unless vented to baghouse C007488 (341BF102).  
[District Rules 204, 1303(A)]

3.All equipment shall be operated in compliance with applicable requirements of 40 CFR 63 Subpart LLL - National Emission Standard for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry.  
[40 CFR Part 63 Subpart LLL]