



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

B000675

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: DECEMBER 2026

OWNER OF OPERATOR (Co. #629)

Specialty Minerals, Inc
6565 Meridian Road
Lucerne Valley, CA 92356

EQUIPMENT LOCATION (Fac. #262)

Specialty Minerals, Inc
6565 Meridian Road
Lucerne Valley, CA 92356

Description:

RAYMOND MILL #1 SYSTEM consisting of:

EQUIPMENT

Capacity	Equipment Description
0	001 RA Mill Feed Bin
100	101 RA No. 1 Raymond Mill and Drive
4.2	201 RA Mill Feeder
25	311 RA Whizzer
100	402 RA Main Fan
0	501 RA Cyclone
1.5	ROT 25 DCL 25 Dust Return Rotary Lock
1.5	501 RA Cyclone Rotary Lock

CONDITIONS:

Fee Schedule: 1 (c)

Rating: 232.2 bhp

SIC: 1422

SCC: 30502005

Location/UTM(Km):
508E/3803N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Specialty Minerals, Inc
P.O. Box 558
Lucerne Valley, CA 92356

By: **COPY**
Brad Poiriez
Executive Director

1. The owner/operator shall comply with all applicable Regulations and Rules of this District. Applicable rules include, but are not necessarily limited to those in Regulation IV.

2. This unit shall operate concurrently with and vented to properly operating baghouse (DCL 25) under valid District permit C000638.
[District Rule 1302(B)(1)(a)]

3. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]