



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

B009503

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: MAY 2026

OWNER OF OPERATOR (Co. #503)

Robertson's Ready Mix
P.O.Box 3600
Corona, CA 92878

EQUIPMENT LOCATION (Fac. #2808)

Robertson's Ready Mix - Lucerne Vly (Hwy 18)
36555 Hwy 18
Lucerne Valley, CA 92356

Description:

CONCRETE BATCH PLANT consisting of:

EQUIPMENT

Capacity	Equipment Description
75	BC-1, Belt Conveyor
40	BC-2, Belt Conveyor
60	BC-3, Belt Conveyor
40	BC-4, Belt Conveyor
80	Surge Bin
80	Agg Weigh
30	BC-5, Belt Conveyor
1	UpDown

CONDITIONS:

Fee Schedule: 1 (c)

Rating: 406 bhp

SIC: 3273

SCC: 30502506

Location/UTM(Km):
491E/3831N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Robertson's Ready Mix
P.O. Box 3600
Corona, CA 92878-3600

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

1. The owner/operator (o/o) shall maintain this equipment in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants.
[District Rule 204]

2. This equipment shall not be operated unless the associated Up/Down Hopper and truck loading interface is vented through a properly operating baghouse with a valid District permit C009504.
[District Rule 204]

3. The o/o shall ensure that the materials used in the equipment contain sufficient natural and/or added moisture to preclude violations of District rules 401, 402, 403 and Regulation XIII. These rules pertain to opacity, dust blowing off of the property, nuisance and new source review. The o/o shall maintain sufficient water and equipment for its application in operable condition and on-site, and use it as necessary on material piles, haul roads, and in the plant to prevent violations of the above rules.
[District Rule 204]

4. Cement and Fly Ash Truck unloading shall only occur through a properly operating pneumatic truck unloading system, and only into designated storage silos, venting to properly operated and maintained Filter Vents.
[District Rule 204]

5. Maximum concrete throughput shall not exceed 1.40 MMTPY.
[District Regulation XIII]

6. A daily production and operations log shall be maintained at either the facility or corporate office for at two (2) years and available to District, State, or Federal personnel upon request. This log shall contain, at a minimum:
 - a. Daily and annual tonnage of finished product;
 - b. Weekly visible emission determinations at transfer points, date and result (using USEPA Method 22, and USEPA Method 9 if necessary),
 - c. Maintenance and repairs on plant and supporting equipment, and
 - d. Date and nature of any system repairs.[District Rules 404; Rule 405; Rule 204]

7. All open material transfer points, such as conveyor drops, hopper and bin loading, shall be equipped with water sprays to minimize emissions of particulate matter or material shall contain sufficient moisture to preclude any visible emissions per method 22 observations.
[District Rule 204]

8. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.
[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]