

MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park AvenueVictorville, CA92392-2310 760.245.1661 -- 800.635.4617 -- FAX760.245.2022

INACTIVE

C000091

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: JUNE 2002

OWNER OF OPERATOR (Co.#1)

CEMEX Construction Materials Pacific LLC 16888 North E Street Victorville,CA92392

EQUIPMENT LOCATION (Fac.#5)

CEMEX - Black Mountain Quarry Plant 25220 Black Mountain Quarry Road Apple Valley,CA92307

Description:

AIR POLLUTION CONTROL EQUIPMENT consisting of:Serving 1Q Kiln/Clinker Cooler (B000084). GGF1 - Gravel Bed Filter, Rexnord 10 module, 170,000 ACFM at 400 degrees F.

EQUIPMENT

Capacity	Equipment Description
700	Induced draft fan
60	Backflush fans - 2 @ 30 hp ea.
50	Rake drives - 10 @ 5 hp ea.
30	Screw conveyors - 4 @ 7.5 hp ea.
10	Hydraulic pumps - 2 @ 5 hp ea.
2.75	Rotary dump valves - 11 @ .25 hp ea

CONDITIONS:

1. The owner/operator (o/o) shall operate this particulate control equipment in strict accordance with the manufacturer's specifications and/or sound engineering principles.

2.The o/o shall maintain a log of all inspections, repairs, and maintenance on this equipment and submit it to the District on request. The log shall be kept for a minimum period of two years.

Fee Schedule:7 (h)

Rating:1device

SIC:3241

SCC:99999999

Location/UTM(Km):476E/3826N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Page 1 of 1

CEMEX Construction Materials Pacific LLC 16888 North E Street Victorville,CA92392

Brad Poiriez

Air Pollution Control Officer