



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### PERMIT TO OPERATE

C000782

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

**EXPIRES LAST DAY OF: OCTOBER 2025**

#### OWNER OF OPERATOR (Co.#90)

Omya (California) Inc  
7299 Crystal Creek Road  
Lucerne Valley, CA 92356

#### EQUIPMENT LOCATION (Fac.#461)

Omya - Main Plant  
7299 Crystal Creek Road  
Lucerne Valley, CA 92356

#### Description:

BAGHOUSE (81-041) consisting of: An FFNW model 36-8 with a total filter area of 360 sq ft. Air flow through the unit is 2000 acfm from a 10 hp blower/fan (81-042), yielding a 5.6:1 air to cloth ratio. This unit has pickup points serving Bulk Silo #4, 81-040 (T002006).

#### CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 204]

1. This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 204]

2. This equipment must be properly operating whenever the Bulk Loading Silo #4 (81-040) under valid District permit T002006 is being charged. [District Rules 204 and 1303]

2. This equipment must be properly operating whenever the Bulk Loading Silo #4 (81-040) under valid District permit T002006 is being

Fee Schedule: 7 (h)      Rating: 1 device      SIC: 1422      SCC: 30510205      Location/UTM(Km): 505E/3805N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Omya (California) Inc  
7225 Crystal Creek Rd  
Lucerne Valley, CA 92356

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

charged.  
[District Rules 204 and 1303]

3.This equipment shall be operated in compliance with 40 CFR 60 Subpart OOO - Standards of Performance for Nonmetallic Mineral Processing Plants.  
[40 CFR 60, Subpart OOO; District Rule 204]

3.This equipment shall be operated in compliance with 40 CFR 60 Subpart OOO - Standards of Performance for Nonmetallic Mineral Processing Plants.  
[40 CFR 60, Subpart OOO; District Rule 204]

4.This equipment shall not discharge into the atmosphere an exhaust stream from the exhaust stack that exhibits greater than seven percent opacity.  
[40 CFR 60.672(a)]

4.This equipment shall not discharge into the atmosphere an exhaust stream from the exhaust stack that exhibits greater than seven percent opacity.  
[40 CFR 60.672(a)]

5.This equipment shall not discharge into the atmosphere an exhaust stream from fugitive emission points that exhibits greater than ten percent opacity.  
[40 CFR 60.672(b)]

5.This equipment shall not discharge into the atmosphere an exhaust stream from fugitive emission points that exhibits greater than ten percent opacity.  
[40 CFR 60.672(b)]

6.This unit shall be equipped with a device to measure the pressure differential across the bags (manometer).  
[District Rule 204]

6.This unit shall be equipped with a device to measure the pressure differential across the bags (manometer).  
[District Rule 204]

7.The o/o shall maintain on-site a minimum inventory of replacement bags that assures compliance with these conditions.  
[District Rule 204]

7.The o/o shall maintain on-site a minimum inventory of replacement bags that assures compliance with these conditions.  
[District Rule 204]

8.This equipment shall not discharge into the atmosphere PM emissions in excess of 0.05 g/dscm (0.022 gr/dscf).  
[40 CFR 60.672(a), Table 2]

8.This equipment shall not discharge into the atmosphere PM emissions in excess of 0.05 g/dscm (0.022 gr/dscf).  
[40 CFR 60.672(a), Table 2]

9.The o/o shall conduct a minimum program of inspection and maintenance on this equipment. The o/o shall maintain current and on-site for five (5) years a log of the following information, which shall be provided to District personnel upon request:  
a. Quarterly baghouse stack observation date and result (using USEPA Method 22, and USEPA Method 9 if necessary);  
b. Quarterly bag and bag suspension system inspection date and results;  
c. Quarterly reading of baghouse pressure differential (manometer reading), date and value;

- d. Date of bag replacements; and,
  - e. Date and nature of any system repairs.
- [District Rule 204]

9. The o/o shall conduct a minimum program of inspection and maintenance on this equipment. The o/o shall maintain current and on-site for five (5) years a log of the following information, which shall be provided to District personnel upon request:

- a. Quarterly baghouse stack observation date and result (using USEPA Method 22, and USEPA Method 9 if necessary);
  - b. Quarterly bag and bag suspension system inspection date and results;
  - c. Quarterly reading of baghouse pressure differential (manometer reading), date and value;
  - d. Date of bag replacements; and,
  - e. Date and nature of any system repairs.
- [District Rule 204]

10. The facility-wide emissions must be less than the following limitations in each consecutive twelve-month period:

- a. 80 tons per year of Carbon Monoxide (CO) per calendar year;
- b. 20 tons per year of Oxides of Nitrogen (NOx) per calendar year;
- c. 20 tons per year of Volatile Organic Compounds (VOC) per each consecutive twelve-month period;
- d. 80 tons per year of Particulate Matter of 10 microns or less (PM10) per calendar year;
- e. 20 tons per year of Oxides of Sulfur (SOx) per calendar year;
- f. 8 tons per year of any single Hazardous Air Pollutant (HAP) per calendar year; and,
- g. 20 tons per year of any combination of HAP per calendar year.

Compliance with these emission limitations must be verified by pollutant-specific emission summaries for each calendar year except for PM-10 which must be verified for each consecutive twelve-month period. These emission summaries must be retained on-site for a minimum period of five (5) years; and, must be made available for review upon request by District, State or Federal personnel.

[District Rules 221(B) and 1201(S)]

In addition, this facility is designated as a Major Source of PM10 under Regulation XIII - New Source Review, as it has a Potential to Emit in an amount equal to or greater than 15 tons per year of PM10; therefore, any new Permit Unit or any Modified Permit Unit at this facility must be fully offset pursuant to District Rule 1303(B).

[District Rules 1301(II) and 1303(B)]

11. This facility must submit a Comprehensive Emissions Inventory Report (CEIR) to the District in accordance with District CEI Guidelines and in a format approved by the District, on an annual basis.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]