



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

C002795

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: JANUARY 2002

OWNER OF OPERATOR (Co.#270)

AGC Flat Glass North America, Inc. (AGC)
11175 Cicero Dr, Ste 400
Alpharetta, GA 30022

EQUIPMENT LOCATION (Fac.#935)

AGC Flat Glass North America, Inc. (AGC)
17300 Silica Dr
Victorville, CA 92395

Description:

BAGHOUSE - ESP DUST RECYCLING SYSTEM consisting of: a Nol-Tec Model 279, whose cloth area is 3 sq ft of 16 ounce polyester. The design pressure drop is between 2in and 6 in of water gauge.

CONDITIONS:

1. This baghouse shall operate concurrently with the equipment described as the ESP Dust Recycling Sstem under valid District permit B002460.
2. The owner/operator, o/o, shall conduct the following minimum program of inspection/maintenance:
 - a. Weekly readings and recording of the pressure differential across the bags;
 - b. Monthly visible emissions determinations, VEE results logged;
 - c. Quarterly inspections of the bags and their suspension systems, inspections, replacements and repairs logged.
 The above frequencies may be changed upon successful demonstration to the District that less stringent monitoring is equally effective. Items a, b, and c shall be logged. The log shall be maintained current, on-site for a minimum of 2 years and provided to District personnel on request.
3. The o/o shall maintain, on-site, an inventory of replacement bags sufficient to ensure compliance with applicable rules of District Regulation IV.
4. Regular emissions testing for demonstration of compliance with District rules 404 and 405 are not required. The District may require emissions testing at its discretion.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 3211

SCC: 9999999

Location/UTM(Km):
474E/3815N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

AGC Flat Glass North America, Inc. (AGC) 11175 Cicero Dr, Ste 400/Chris Correnti Alpharetta, GA 30022
--

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

5. The o/o shall operate and maintain this baghouse in strict accord with the recommendations of the manufacturer/supplier.