



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### PERMIT TO OPERATE

C007677

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

**EXPIRES LAST DAY OF: OCTOBER 2026**

#### OWNER OF OPERATOR (Co. #90)

Omya (California) Inc  
7299 Crystal Creek Road  
Lucerne Valley, CA 92356

#### EQUIPMENT LOCATION (Fac. #461)

Omya - Main Plant  
7299 Crystal Creek Road  
Lucerne Valley, CA 92356

#### Description:

BAGHOUSE (45-052) (BH-39) consisting of: a Flex-Kleen baghouse, whose air:cloth ratio is 4::1. This unit has 3000 square feet of filtering area and serves the Dual Cyclone (45-047) from the Classifier (45-041).

#### CONDITIONS:

1. The owner/operator, (o/o), shall operate/maintain this equipment in strict accord with recommendations of the manufacturer and/or sound engineering practices.  
[District Rule 204]
2. The operating instructions shall be immediately available for use by the operator and provided to District personnel upon request.  
[District Rule 204]
3. This baghouse shall operate concurrently with the Roller Mill No. 4 classifier under valid District permit B007674.  
[District Rule 204]

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 1422

SCC: 30502740

Location/UTM(Km):  
505E/3805N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Omya (California) Inc  
7225 Crystal Creek Rd  
Lucerne Valley, CA 92356

By: **COPY**  
**Brad Poiriez**  
Executive Director

4. The o/o shall have a continuing program of maintenance/inspections in accord with manufacturer's recommendations and specification which ensures compliance with District Rules. This program shall include, but not be limited to, regular opacity readings, pressure differential measurements, and maintenance inspections. Logging of data shall be required with the log kept on site for a minimum of two (2) years. This log shall be provided to District personnel on request.  
[District Rule 204]

5. This baghouse does not require regular emissions testing, but the District may require testing at its discretion.  
[District Rule 204]

6. The facility-wide emissions must be less than the following limitations in each consecutive twelve-month period:

- a. 80 tons per year of Carbon Monoxide (CO) per calendar year;
- b. 20 tons per year of Oxides of Nitrogen (NO<sub>x</sub>) per calendar year;
- c. 20 tons per year of Volatile Organic Compounds (VOC) per each consecutive twelve-month period;
- d. 80 tons per year of Particulate Matter of 10 microns or less (PM<sub>10</sub>) per calendar year;
- e. 20 tons per year of Oxides of Sulfur (SO<sub>x</sub>) per calendar year;
- f. 8 tons per year of any single Hazardous Air Pollutant (HAP) per calendar year; and,
- g. 20 tons per year of any combination of HAP per calendar year.

Compliance with these emission limitations must be verified by pollutant-specific emission summaries for each calendar year except for PM-10 which must be verified for each consecutive twelve-month period. These emission summaries must be retained on-site for a minimum period of five (5) years; and, must be made available for review upon request by District, State or Federal personnel.  
[District Rules 221(B) and 1201(S)]

In addition, this facility is designated as a Major Source of PM<sub>10</sub> under Regulation XIII - New Source Review, as it has a Potential to Emit in an amount equal to or greater than 15 tons per year of PM<sub>10</sub>; therefore, any new Permit Unit or any Modified Permit Unit at this facility must be fully offset pursuant to District Rule 1303(B).  
[District Rules 1301(II) and 1303(B)]

7. This facility must submit a Comprehensive Emissions Inventory Report (CEIR) to the District in accordance with District CEI Guidelines and in a format approved by the District, on an annual basis.  
[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]