



**MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT**

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

C011137

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: SEPTEMBER 2017**

**OWNER OF OPERATOR (Co.#1531)**

Mars Petcare US Inc.  
2013 Ovation Parkway  
Franklin, TN 37067

**EQUIPMENT LOCATION (Fac.#2600)**

Mars Petcare  
13243 Nutro Way  
Victorville, CA 92392

**Description:**

ODOR ELIMINATION SYSTEM #2 consisting of: Odor reduction system; gas flow rate for treatment ~ 24,000 CFM operating at 55°C to 90°C and Relative humidity up to 75%; includes one (1) Model 100 KW Plasma Cell Cabinet.

**CONDITIONS:**

1. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit.  
[Rule 204 - Permit Conditions; Version in SIP = CARB Ex. Order G-73, 40 CFR 52.220(c)(39)(ii)(B) -11/09/78 - 43 FR 52237; Current Rule Version = 07/25/77]
2. This Odor Elimination System shall operate concurrently with the Post Coat Vertical Cooler System #2 portion of Process Line #2 (B008781).  
[Rule 204 - Permit Conditions; Version in SIP = CARB Ex. Order G-73, 40 CFR 52.220(c)(39)(ii)(B) -11/09/78 - 43 FR 52237; Current Rule Version = 07/25/77]
3. The o/o shall maintain an operations, inspection, and maintenance log for this equipment current and on-site (or at a central location) for a minimum of five (5) years, and this log shall be provided to District, State and Federal personnel upon request.  
[Rule 204 - Permit Conditions; Version in SIP = CARB Ex. Order G-73, 40 CFR 52.220(c)(39)(ii)(B) -11/09/78 - 43 FR 52237; Current Rule Version = 07/25/77]

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 2047

SCC: 30200804

Location/UTM(Km):  
474E/3817N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Mars Petcare US Inc.  
Attention: Gregg Elmore  
  
Victorville, CA 92392

By: **COPY**  
Eldon Heaston  
Air Pollution Control Officer