



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

RENEWAL

P015382

Renewal type Permit has no description information.

EXPIRES LAST DAY OF: MARCH 2026

OWNER OF OPERATOR (Co.#2261)

Clark Pacific Precast, LLC
9367 Holly Rd.
Adelanto, CA 92301

EQUIPMENT LOCATION (Fac.#3628)

Clark Pacific Adelanto Precast Plant
9367 Holly Rd.
Adelanto, CA 92301

Description:

SPRAY GUN, PORTABLE consisting of: An electric powered Titan Impact 640 airless portable paint sprayer with a maximum spray application rate of 0.70 gallons per minute at a maximum working pressure of 3300 psi.

CONDITIONS:

1. This spray gun and associated equipment shall only be operated and maintained in strict accordance with manufacturer's/supplier's recommendations and/or sound engineering principles which produce the minimum emissions of contaminants. Operation of this equipment shall be conducted in compliance with data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
[District Rule 204]
2. This equipment is limited to using only Sher-Cryl High Performance Acrylic (B66 Series) and DC315 Intumescent Coatings.
[District Rule 1320]
3. Facility shall not use more than 450 gallons of Sher-Cryl High Performance Acrylic Coating (B66 Series) per calendar year and no more than 450 gallons of DC315 Intumescent Coating per calendar year.
[District Rule 1320]
4. All coatings, diluents, thinners, solvents, application methods, and record keeping, shall comply with District Rules 442, 1113, 1303 and 1320 in their entirety. These rules pertain to Usage of Solvents, Architectural Coatings, New Source Review Requirements, and New Source Review for Toxic Air Contaminants, respectively.

Fee Schedule: 7 (c)	Rating: 1 device	SIC: 3272	SCC: 30501117	Location/UTM(Km): 459E/3826N
---------------------	------------------	-----------	---------------	---------------------------------

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Clark Pacific Precast, LLC
Attn: Siah Gaye

Adelanto, CA 92301

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

[District Rule 204]

5. The owner/operator shall maintain a log for the facility, which, at a minimum, contains the information specified below. This log shall be maintained for a minimum five (5) years, and shall be provided to District, State, or Federal personnel on request:

- a) Date of operation;
- b) Manufacturer, type, and amount (in gallons) of coatings and solvents used (preparation, thinning, cleanup or other);
- c) Daily records of VOC containing material and/or organic solvents used, and
- d) Total amount of VOC and/or organic solvents used per calendar month.

[District Rules 204, 442 and 1113]

6. The acrylic industrial maintenance coating used within this equipment must not have a VOC content greater than 250 grams/liter. The fire resistive coating used within this equipment must not have a VOC content greater than 150 grams/liter.

[District Rule 1113]

7. This facility shall not spray apply coatings to metal or plastic surfaces that contain compounds of chromium (Cr), lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd); nor, conduct any paint stripping operations on any substrate that use methylene chloride (MeCl)-containing paint stripping formulations. Contact the MDAQMD if this facility will use coatings containing the above toxic metal(s) and/or MeCl for additional permits requirements.

[40 CFR 63, Subpart HHHHHH and 40 CFR 63]

8. A facility wide Comprehensive Emission Inventory Report (CEIR) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b), Health & Safety Code 39607 & 44341-44342, 17 CCR 93400 et seq., and 40 CFR 51, Subpart A]