



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

S004146

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: FEBRUARY 2025**

### **OWNER OF OPERATOR (Co.#3064)**

ASB - El Centro  
19005 Wiley's Well Road  
Blythe, CA 92225

### **EQUIPMENT LOCATION (Fac.#1422)**

Ironwood State Prison - Site 2  
19025 Wileys Well Road  
Blythe, CA 92226

#### **Description:**

PAINT SPRAY BOOTH (MILL & CABINET SHOP) consisting of: Binks, Model No PFA-16-8-T-LH, 11'2"W x 16'8"L x 8'10"H, with two 36" x 180" exhaust filters and one 5 HP exhaust fan.

#### **CONDITIONS:**

1. Operation of this equipment shall be conducted in compliance with data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
2. All coatings, solvents, application equipment and cleaning methods shall comply with District Rule 1114.
3. A daily record shall be maintained of the VOC emissions from this facility as required per District Rule 1114 that contains but is not limited to following:
  - a. Type of coating used, applicable District rule and VOC limit
  - b. Quantity of coating used and VOC content
  - c. Total VOC emissions
4. This log shall be maintained on site for a minimum of 2 years and be provided to District personnel on request.
5. The total amount of VOC emitted at from this equipment shall not exceed 10 pounds in any one day.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 9223

SCC: 99999999

Location/UTM(Km): 725E/3273N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

ASB - El Centro  
19005 Wiley's Well Road  
Blythe, CA 92225

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer