



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

S008600

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: FEBRUARY 2025

OWNER OF OPERATOR (Co. #2196)

Daytec Powder Coating
9823 E Avenue
Hesperia, CA 92345

EQUIPMENT LOCATION (Fac. #4006)

Daytec Powder Coating - G Ave
10758 G Avenue
Hesperia, CA 92345

Description:

SPRAY BOOTH, POWDER COATING consisting of: Powder Coating Booth, Iontech, Model FW4500, SN 02-03-5528-2, 14'4" l x 8' w x 8' h; equipped with exhaust fan and filters. This booth is heated by a 1.5 MMBtu natural gas heater which is exempt from permitting. Facility elevation is 3012 feet above sea level.

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit.
[District Rule 1302(C)(2)(a)]

2. All coatings, diluents, thinners and solvents shall comply with District Rules 442 and 1115 as applicable. These rules pertain to Usage of Solvents and Metal Parts & Products Coatings Operations, respectively.
[District Rule 442 - Usage of Solvents and District Rule 1115 - Metal Parts & Products Coating Operations]

3. Discharge filters shall be installed and maintained in a tightly mounted and dimensionally stable condition, free from excessive deposits or interference with airflow passages. The differential pressure across the discharge filters shall be maintained within the recommendations by the manufacturer's specifications.
[District Rule 1302(C)(2)(a)]

Fee Schedule: 7 (i)

Rating: 1 device

SIC: 3714

SCC: 40202501

Location/UTM(Km): 476E/3809N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Daytec Powder Coating
9823 E Avenue
Hesperia, CA 92345

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

4.The exempt integral oven shall only be fired on PUC-Regulated pipeline quality natural gas.
[District Rules 1302 and 1320]

5.Pursuant to Rule 1115, the owner/operator shall not apply any Coating to Metal Parts and Products unless Electrostatic Spray equipment is used, operated in accordance with the manufacturer's recommendations.
Any alternate Coating applications must be demonstrated to the satisfaction of the APCO pursuant to Rule 1115, and which written approval of the APCO has been obtained.
[District Rule 1115 - Metal Parts & Products Coating Operations]

6.This facility shall not discharge VOCs into the atmosphere from all VOC containing materials, Emissions Units, equipment or processes, in excess of 540 kilograms (1,190 pounds) per month.
[District Rule 442 - Usage of Solvents]

7.The total quantity of powder coatings used in this equipment shall not exceed 100 pounds in any one day.
[District Rule 204 - Permit Conditions]

8.This facility shall not spray apply coatings to metal and plastic surfaces that contain compounds of chromium (Cr), lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd); nor, conduct any stripping operations on any substrate that use methylenechloride (MeCl)-containing paint stripping formulations. Contact the MDAQMD if this facility will use the above toxic metal and/or MeCl for additional permits requirements.
[40 CFR 63, Subpart HHHHHH]

9.The owner/operator shall maintain a daily operational log for this equipment, which, at a minimum, contains the information specified below. This log shall be maintained current and on-site for a minimum of five (5) years and shall be provided to District, State or Federal personnel upon request:

- A. Current list of coatings and solvents used for cleanup, surface preparation, or paint removal.
 - B. Current coating Safety Data Sheets (SDS), or invoice providing material name, manufacturer, identification, material application, and VOC content in pounds per pound or pounds per gallon (or grams per liter).
 - C. Quantity of each coating and solvent used, and its VOC content in pounds per pound or pounds per gallon (or grams per liter).
 - D. Any procedures used to account for control device efficiencies and/or waste disposal.
- Please note that burner emissions are not included.
[District Rule 1115 - Metal Parts & Products Coating Operations]

10.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.
[District Rule 107(b), H&S Code 39607 & 44341-44342, and 40 CFR 51, Subpart A]