

MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park AvenueVictorville, CA92392-2310 760.245.1661 -- 800.635.4617 -- FAX760.245.2022

INACTIVE

T003930

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: NOVEMBER 2000

OWNER OF OPERATOR (Co.#87)

Commanding Officer, MCLB Barstow, CA Box 110570 Bldg 196 Attn: Air Program Manager Barstow, CA92311-5050

EQUIPMENT LOCATION (Fac.#1177)

USMC MCLB - Nebo Annex USMC Logistics Base Barstow,CA923115013

Description:

INDUSTRIAL WASTE WATER TANK consisting of:Open Top: 21,000 Gallon Tank, 40' 1 x 9' h x 8' w

CONDITIONS:

- 1. The owner/operator (o/o) shall operate this equipment in strict accordance with the manufacturer's specifications and/or sound engineering principles.
- 2. The o/o shall maintain a log of the quality of waste water added to this tank and total stored and records to verify proper disposal to Certified off base handling facilities, including quanitity. These records shall be maintained on site for a minimum of two years.
- 3.The o/o shall comply with all applicable Rules and Regulations of the District. Applicable rules are included in, but not necessarily limited to Regs. IV and XIII.

 Fee Schedule:5 (b)
 Rating:21000gallons
 SIC:9711
 SCC:49099999
 Location/UTM(Km):505E/3859N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Commanding Officer, MCLB Barstow, CA Box 110570 Attn: Air Program Manager Barstow, CA92311-5050

By: COPY
Brad Poiriez
Air Pollution Control Officer

Page 1 of 1 Permit:T003930 Issue Date:02/25/2000