



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

RENEWAL

T008722

Renewal type Permit has no description information.

EXPIRES LAST DAY OF: JUNE 2025

OWNER OF OPERATOR (Co.#2425)

Diversified Minerals, Inc.
1100 Mountain View Ave, Suite F
Oxnard, CA 93030

EQUIPMENT LOCATION (Fac.#2582)

Diversified Minerals, Inc.
12808 Rancho Road
Adelanto, CA 92301

Description:

STORAGE SILOS consisting of: Finished product silos with bin vents

EQUIPMENT

Capacity	Equipment Description
2.24	Storage Silo, 11' dia. X 55' h; 3000 cu. ft. working capacity (22,441 gal)
2.24	Storage Silo, 11' dia. X 55' h; 3000 cu. ft. working capacity (22,441 gal)
1.87	Storage Silo, 11' dia. X 48' h; 2500 cu. ft. working capacity (18,701 gal)
1.87	Storage Silo, 11' dia. X 48' h; 2500 cu. ft. working capacity (18,701 gal)
1.12	Storage Silo, 9' dia. X 38' h; 1500 cu. ft. working capacity (11,221 gal)
1.12	Storage Silo, 9' dia. X 38' h; 1500 cu. ft. working capacity (11,221 gal)
1.12	Storage Silo, 9' dia. X 38' h; 1500 cu. ft. working capacity (11,221 gal)

CONDITIONS:

1. These units shall not be filled unless they are vented to the bin vent baghouse and all bags are in good working condition.

1. These units shall not be filled unless they are vented to the bin vent baghouse and all bags are in good working condition.

2. The owner/operator, o/o, shall install, operate and maintain these units in strict accord with the recommendations of the manufacturer.

Fee Schedule: 5 (c)

Rating: 115800 gallons

SIC: 5032

SCC: 30502510

Location/UTM(Km): 459E/3826N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Diversified Minerals, Inc.
1100 Mountain View Ave, Suite F
Oxnard, CA 93030

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

2.The owner/operator, o/o, shall install, operate and maintain these units in strict accord with the recommendations of the manufacturer.

3.The o/o shall maintain a sufficient inventory of replacement bags on-site to ensure compliance with the applicable rules of Regulation IV.

3.The o/o shall maintain a sufficient inventory of replacement bags on-site to ensure compliance with the applicable rules of Regulation IV.

4.Emissions from this facility shall not exceed the following emission limits, based on a calendar year summary:

a. NOx - 24.9 tons/year

b. PM10 - 14.9 tons/year

[District Rule 1303(B) Offsets]

4.Emissions from this facility shall not exceed the following emission limits, based on a calendar year summary:

a. NOx - 24.9 tons/year

b. PM10 - 14.9 tons/year

c. 9.9 tons per year of any single HAP or 24.9 tons per year of any combination of HAPs

Compliance with these facility wide emissions limitations shall be demonstrated via a consecutive 12 month rolling average for each respective pollutant. The required emissions summaries shall be maintained on-site for at least two (2) years and made available to District personnel upon request.

[District Rule 1303(B) Offsets]

5.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]

5.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]