



**MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT**

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

B003255

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: DECEMBER 2016**

**OWNER OF OPERATOR (Co.#500)**

ACE Cogeneration Company  
12801 S Mariposa Street  
Trona, CA 93562

**EQUIPMENT LOCATION (Fac.#1051)**

ACE Cogeneration Company  
12801 S Mariposa Street  
Trona, CA 93562

**Description:**

SOLID FUEL RECLAIM SYSTEM consisting of:

**EQUIPMENT**

Capacity	Equipment Description
0	Silo No. 1, Solid Fuel - 360 ton capacity
0	Silo No. 2, Solid Fuel - 360 ton capacity
15	Conveyor, C-17B
10	Conveyor, C-17A
60	Conveyor, C-16
0	Junction House 14
40	Conveyor, C-15

**CONDITIONS:**

1. This equipment shall not be operated unless it is vented to the functioning air pollution control equipment covered by valid District permits C002126 and C002127.  
[MDAQMD Rule 1303(A) BACT]

Fee Schedule: 1 (b)

Rating: 125 bhp

SIC: 4911

SCC: 30510503

Location/UTM(Km):  
465E/3958N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

ACE Cogeneration Company  
12801 S Mariposa Street  
Trona, CA 93562

By: **COPY**  
**Brad Poiriez**  
Executive Director

2. All equipment shall be maintained and operated at all times in strict accord with recommendations of the manufacturer/supplier and/or sound engineering principles.

[Rule 1302(C)(2)(a)]

3. All conveyor systems shall be fully enclosed. Water spray systems, which are activated by conveyor motion, shall be provided at all transfer points except at those controlled by baghouses.

[MDAQMD Rule 1303(A) BACT]