



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

AUTHORITY TO CONSTRUCT

B014305

If construction is not completed by the expiration date of this permit, it may be renewed for one additional year upon payment of applicable fees. Any additional extension will require the written approval of the Air Pollution Control Officer. This Authority to Construct may serve as a temporary Permit to Operate provided the APCO is given prior notice of intent to operate and the Permit to Operate is not specifically denied.

EXPIRES LAST DAY OF: FEBRUARY 2026

OWNER OF OPERATOR (Co. #2349)

MP Mine Operations LLC
67750 Bailey Road
Mountain Pass, CA 92366

EQUIPMENT LOCATION (Fac. #364)

Mountain Pass Mine
67750 Bailey Road
Mountain Pass, CA 92366

Description:

PRASEODYMIUM NEODYMIUM DRYING CONVEYANCE SYSTEM consisting of:

Fee Schedule: 1 (a) Rating: 11bhp SIC: 1099 SCC: 30503812 Location/UTM(Km): 634E/3926N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

MP Mine Operations LLC
1700 S. Pavilion Center Drive, 8th Floor
Las Vegas, NV 89135

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

EQUIPMENT

Capacity	Equipment Description
1	562-F66-CV15 Rotary Dryer Cyclone and Baghouse Collection Screw
2	562-F66-CV16 Rotary Dryer Fines Transfer Screw #1
1	562-F66-CV17 Rotary Dryer Fines Transfer Screw #2
1	562-F66-CV18 Rotary Dryer Fines Transfer Screw #3
2	562-F66-CV19 Rotary Dryer Fines Transfer Screw #4
0	562-F66-CLR01 Dried PrNd Cooler
2	562-F66-RV03 Dried PrNd Cooler Airlock
2	562-F66-CV04 Dried PrNd Cooler Discharge Incline Screw
0	562-F66-HP05 Dried PrNd Surge Hopper
0	562-F66-DC19 Dried PrNd Hopper Bin Vent, Cyclonaire 36-DC-1
0	562-F66-PV01 Dried PrNd Transport Hopper with bin vent, Cyclonaire 904-01288
0	562-F66-AREC02 Dried PrNd Pneumatic Conveyor Compressed Air Surge Tank 400 gallon
0	562-F66-BN01 Dried PrNd Bin
0	562-F66-DC05 Dried PrNd Bin Vent, Cyclonaire 36-DC-9

CONDITIONS:

1.This equipment shall be installed, operated and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rules 204 and 1302]

2.There shall be no visible emissions from this material handling equipment. To demonstrate compliance with this opacity limitation the owner/operator shall conduct a monthly 6-minute visible emissions evaluation on each emission point and fugitive emission point associated with this equipment in accordance with USEPA Method 22. The evaluation must be conducted while the affected source is in operation.

[District Rules 204, 401, 402, and 403]

3.Throughput processed may not exceed 26,538 tons/yr

[District Rule 1303 - Offsets]

4.All conveying equipment shall be fully enclosed with following equipment venting to control equipment as specified:

- a. Surge Hopper 562-F66-HP05 vents to passive Bin Vent 562-F66-DC19
- b. Transport Hopper 562-F66-PV01 vents to passive Bin Vent
- c. Dried PrNd Bin 562-F66-BN01 vents to passive Bin Vent 562-F66-DC05

The passive bin vents shall be equipped with filters which meet 99.9% control efficiency of particulates at the operating conditions specified in the equipment description (BACT).

[District Rule 1303 - BACT]

5.In the event that opacity is observed during the USEPA Method 22, the owner/operator must shut down the affected equipment and take corrective action to preclude any further emissions. Upon restarting the affected equipment, the owner/operator must conduct a USEPA Method 22 to demonstrate that the corrective action taken was sufficient. Equipment breakdowns resulting in violation and/or shutdown shall be reported to the District in accordance with District Rule 430.

[District Rules 401, 403 and 430]

6.pressure differential gauges shall be installed and maintained on the bin vents listed in Condition 4. In operation, the pressure differential shall be kept between 3.5 and 6 inches water column.

[District Rule 1303 - BACT]

7.The owner/operator shall maintain on-site, as a minimum, an inventory of replacement bags/filters that assures compliance these conditions.

[District Rule 1303 - BACT]

8.The owner/operator, o/o, shall conduct the following minimum program of inspection/maintenance:

- a. Monthly visible emissions determinations; results logged;
 - b. Weekly readings and recording of the pressure differential across the filters;
 - c. Quarterly inspections of the bin vent filters; inspections, replacements and repairs logged.
- Items a, b, and c shall be logged. The log shall be maintained current, on-site for a minimum of 5 years and provided to District personnel on request.

[District Rule 1303 - BACT]

9.Actual emissions from this facility shall be less than the following:

- a. 42 tons per year of NO_x [Rule 1303(B)]
 - b. 46 tons per year of PM₁₀ [Rule 1303(B)]
 - c. 25 tons per year of VOC
 - d. 25 tons per year of SO_x
 - e. 100 tons per year of CO, calculated on a rolling twelve-month basis
 - f. 10 tons per year for any single HAP and 25 tons per year for any combination of HAPs calculated on a rolling twelve-month basis.
- HAPs are defined in 40 CFR 61.01 and are the chemical compounds listed in section 112(b) of the Clean Air Act (Act). Compliance with the annual emission limits shall be demonstrated via 12 month rolling sum for CO and HAP via annual emission inventory reports for all criteria pollutants and HAP.

[District Rule 1303]

10.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]