

MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park AvenueVictorville, CA92392-2310 760.245.1661 -- 800.635.4617 -- FAX760.245.2022

INACTIVE

C000187

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: MAY 2008

OWNER OF OPERATOR (Co.#2239)

EQUIPMENT LOCATION (Fac.#3)

CalPortland Company 19409 National Trails Hwy Oro Grande, CA92368 CalPortland Oro Grande 19409 National Trails Hwy Oro Grande, CA92368

Description:

BAGHOUSE consisting of:Serving Kiln No. 7 Clinker Cooler, valid District permit B000184: 44-403 Fabric Baghouse BHC-7, MikroPul 12-1, cloth area 32,744 sq. ft., 55,640 ACFM at 250 degrees F, 1.65:1 A/C 44-457 Cooler exhaust fan, 200 hp

CONDITIONS:

- 1. The owner/operator (o/o) shall install, operate, and maintain this dust collector in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles.
- 2.The o/o shall institute a program of maintenance which embrases at least weekly stack observations, monthly visual inspections of all associated equipment (inclusive of the bags and their suspension system), and weekly measurements of the pressure differential across the bags.
- 3. The o/o shall log all the items in condition 2 above, including:
- A. Date of weekly observation, whether or not visible emissions were observed from the stack, and maintenance procedure following if emissions were observed.
- B. Date of monthly inspection and actions taken on equipment found to be operating below standards.
- C. Date of pressure differential reading, whether or not it is within appropriate range, and maintenance procedure following if found to be outside of range.
- 4. The o/o shall maintain the log current and onsite for a minimum of five years and provide it to district personnel upon request.
- 5.The o/o shall maintain an inventory of the minimum number of replacement bags onsite at all times which ensures compliance with

Fee Schedule:7 (h)

Rating:1device

SIC:3241

SCC:99999999

Location/UTM(Km):469E/3830N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Page 1 of 2

CalPortland Company Attn: Catalina Elias

Oro Grande, CA92368

By: COPY
Brad Poiriez
Air Pollution Control Officer

| District rules. | |
|--|--|
| 3. The o/o shall install and maintain a device which measures the pressure differential across the bags if one is not provided with the unit | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |