



**MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT**

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

C001725

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: JANUARY 2015**

**OWNER OF OPERATOR (Co.#270)**

AGC Flat Glass North America, Inc. (AGC)  
11175 Cicero Dr, Ste 400  
Alpharetta, GA 30022

**EQUIPMENT LOCATION (Fac.#935)**

AGC Flat Glass North America, Inc. (AGC)  
17300 Silica Dr  
Victorville, CA 92395

**Description:**

BAGHOUSE (BATCH PLANT UNLOADING AREA) consisting of: a Flex-Kleen Reverse Jet model 84BVBC25IIC, driven by a 5 hp motorized fan and with the following specifications: Air to Cloth Ratio, 5.5:1 Total Cloth Filtering Area, 265 sq ft ACFM, 1,460 Bags, of 16 ounce Glazed Polypropylene, designed to be operated between 2 and 6 inches of water gauge pressure.

**CONDITIONS:**

1. This baghouse shall operate concurrently with the equipment described as Batch Plant Unloading Area under valid District permit B002791.
2. The o/o shall operate and maintain this baghouse in strict accord with the recommendations of the manufacturer/supplier and/or sound engineering principles.
3. An operating air lock device shall be fitted on each material discharge port.
4. This unit shall be equipped with a gauge to measure the pressure drop across the dust collector. The unit shall be operated within a normal range between 2" and 6" of water.
5. The owner/operator (o/o) shall have a preventative maintenance program for this equipment.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 3211

SCC: 9999999

Location/UTM(Km):  
474E/3815N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

AGC Flat Glass North America, Inc.  
(AGC)  
11175 Cicero Dr, Ste 400/Chris Correnti  
Alpharetta, GA 30022

By: **COPY**  
Eldon Heaston  
Air Pollution Control Officer