



**MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT**

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

C008381

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: JANUARY 2009**

**OWNER OF OPERATOR (Co.#122)**

SKANSKA USA Civil West Region  
1995 Agua Mansa Road  
Riverside, CA 92509-2405

**EQUIPMENT LOCATION (Fac.#1696)**

SKANSKA - Wild Wash  
I-15 at Wild Wash Road  
Victorville, CA 92392

**Description:**

BAGHOUSE consisting of: A Gencor, model CFP-182. This unit is a Pulse-Jet type which has 1050 bags, whose total surface area for filtering is 18,134 square feet. The bags are elliptical and made of Nomex 14. The Exhaust fan provides a flow rate of approximately 80,000 cubic feet per minute and is driven by two 150 hp operating at 1800 rpm.

**CONDITIONS:**

1. The owner/operator, (o/o), shall operate/maintain this equipment in strict accord with recommendations of the manufacturer and/or sound engineering practices.
2. The operating instructions shall be immediately available for use by the operator and provided to District personnel upon request.
3. This baghouse shall operate concurrently with the equipment described under valid District permit B008380.
4. The o/o shall have a continuing program of maintenance/inspections in accord with manufacturer's recommendations and specification which ensures compliance with District Rules. This program shall include, but not be limited to, regular opacity readings, pressure differential measurements, and maintenance inspections. Logging of data shall be required with the log kept on site for a minimum of two (2) years. This log shall be provided to District personnel on request.
5. This baghouse does not require regular emissions testing, but the District may require testing at its discretion.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 2951

SCC: 30500208

Location/UTM(Km):  
481E/3739N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

SKANSKA USA Civil West Region  
1995 Agua Mansa Road  
Riverside, CA 92509-2405

By: **COPY**  
**Eldon Heaston**  
Air Pollution Control Officer