



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

RENEWAL

C008539

Renewal type Permit has no description information.

EXPIRES LAST DAY OF: SEPTEMBER 2025

OWNER OF OPERATOR (Co.#503)

Robertson's Ready Mix
P.O.Box 3600
Corona, CA 92878

EQUIPMENT LOCATION (Fac.#2375)

Robertson's Ready Mix - Ft Irwin Rd
58825 Ft. Irwin Road
Barstow, CA 92310

Description:

BAGHOUSE consisting of: A C & W Pulse Jet Model KR-1300, equipped with a 20 hp blower motor, 1256 sq ft of filtration area, Air to Cloth ratio of 6.37. Operates with a normal static pressure drop of 8 in WC at 8000 CFM. Device collects particles from the portable batch plant under District Permit B008529 Weigh Hopper discharge, and Truck Loadout shroud.

CONDITIONS:

1. The owner/operator (o/o) shall operate/maintain this equipment in strict accord with recommendations of the manufacturer and/or sound engineering practices.
2. The operating instructions shall be immediately available for use by the operator and provided to District personnel upon request.
3. This baghouse shall be operated concurrently with the Concrete Batch Plant process under valid District permit B008529.
4. The o/o shall have a continuing program of maintenance/inspections in accord with manufacturer's recommendations and specifications which ensures compliance with District Rules. This program shall include, but not be limited to, monthly opacity readings, pressure differential measurements, and regular maintenance inspections. The results of the observations and inspections shall be logged with the log kept on site for a minimum of two (2) years. This log shall be provided to District personnel upon request.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 1422

SCC: 30504099

Location/UTM(Km): 518E/3884N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Robertson's Ready Mix
P.O. Box 3600
Corona, CA 92878-3600

By: **COPY**
Brad Poiriez
Air Pollution Control Officer