



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### PERMIT TO OPERATE

C011138

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

#### EXPIRES LAST DAY OF: SEPTEMBER 2025

#### OWNER OF OPERATOR (Co.#1531)

Mars Petcare US Inc.  
2013 Ovation Parkway  
Franklin, TN 37067

#### EQUIPMENT LOCATION (Fac.#2600)

Mars Petcare  
13243 Nutro Way  
Victorville, CA 92392

#### Description:

ODOR ELIMINATION SYSTEM (IONO2X) FOR POST COAT COOLER #3 consisting of: Odor reduction system; gas flow rate for treatment ~ 24,000 CFM operating at 55C to 90C and Relative humidity up to 75%; includes one (1) Model 100 KW Plasma Cell Cabinet reduction system.

#### CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 1302]
2. This Odor Elimination System shall operate concurrently with the Post Coat Vertical Cooler System #3 portion of Process Line #3 (B009720). [District Rule 1302]
3. The owner operator shall maintain an operations, inspection, and maintenance log for this equipment current and on-site (or at a central location) for a minimum of five (5) years; this log shall be provided to District, State and Federal personnel upon request. [District Rules 1303]

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 2047

SCC: 30200804

Location/UTM(Km): 474E/3817N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Mars Petcare US Inc.  
Attention: Gregg Elmore

Victorville, CA 92392

By: **COPY**

**Brad Poiriez**

Air Pollution Control Officer

4.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request. [District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]