



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

AUTHORITY TO CONSTRUCT

C011499

If construction is not completed by the expiration date of this permit, it may be renewed for one additional year upon payment of applicable fees. Any additional extension will require the written approval of the Air Pollution Control Officer. This Authority to Construct may serve as a temporary Permit to Operate provided the APCO is given prior notice of intent to operate and the Permit to Operate is not specifically denied.

EXPIRES LAST DAY OF: APRIL 2026

OWNER OF OPERATOR (Co.#2041)

Recycled Base Materials
3075 Townsgate Road, Suite 200
Westlake Village, CA 91361

EQUIPMENT LOCATION (Fac.#3350)

Recycled Base Materials - Various Locations
District Wide
MDAQMD, CA 92392

Description:

BAGHOUSE DC-1 consisting of: Donaldson DCE, DMLV, pulse jet type baghouse with 20 cloth bags, cloth area is 215 ft² and air flow is 1500 cfm. Fan motor is 3 hp. This unit serves ElJay screen Equip. ID #5 associated with Aggregate Crushing & Screening Plant (B011501).

CONDITIONS:

1. Operation of this equipment shall be conducted in compliance with all data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
2. The owner/operator, o/o, shall operate and maintain this baghouse in strict accord with the recommendations of the manufacturer/supplier and/or sound engineering principles.
3. This baghouse shall operate concurrently with the equipment described as the Portable Crushing and Screening Plant under valid District permit B011501.
4. The owner/operator, o/o, shall conduct the following minimum program of inspection/maintenance:
 - a. Monthly visible emissions determinations; results logged;
 - b. Weekly readings and recording of the pressure differential across the bags;
 - c. Quarterly inspections of the bags and their suspension systems; inspections, replacements and repairs logged.

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 1442

SCC: 99999999

Location/UTM(Km): 473E/9556N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Recycled Base Materials
3075 Townsgate Road, Suite 200
Westlake Village, CA 91361

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

5. Within 180 days of start-up to demonstrate initial compliance with 40 CFR 60 Subpart OOO \S60.672(a) the owner/operator shall conduct the following tests pursuant to 40 CFR 60 Subpart OOO \S60.675:

a.) Opacity: visual emissions evaluation using USEPA Method 9 (40 CFR part 60, Appendix A-4).

b.) PM Concentration: USEPA Method 5

The tests must be conducted while the affected source is in operation.

6. Visible emissions from this baghouse shall not exceed seven (7) percent (40 CFR 60 Subpart OOO, Table 2).

7. The o/o shall maintain, on-site, an inventory of replacement bags sufficient to ensure compliance with applicable rules of District Regulation IV.