



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

C013386

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: JUNE 2025

OWNER OF OPERATOR (Co.#2502)

Castle Mountain Venture
980 American Pacific Dr., Suite 102
Henderson, NV 89014

EQUIPMENT LOCATION (Fac.#3896)

Castle Mountain Mine
115575 Hart Mine Road
Ivanpah, CA 92364

Description:

KILN EXHAUST SCRUBBER 29-DC-190 consisting of: Filter Technology, Model O11" Scrubber, Serial No. TBD, equipped with 1 water spray nozzle, concurrent flow, nozzle pressure 25-30 psig, 2.5 gpm, 97% control efficiency. Stack Data Ducted to vapor pack Temp: 100 F Flow Rate: <400 dscfm

EQUIPMENT

Capacity	Equipment Description
2	29-FN-185 Kiln Exhaust Fan, 2 HP
6.7	29-PP-192 Kiln Scrubber Pump, 6.7 HP
0	29-FN-194 Kiln Scrubber Blower

CONDITIONS:

1. The owner/operator shall install, operate and maintain this permit unit in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants. [District Rule 204]

2. This equipment shall operate concurrent with the Carbon Regeneration Kiln under District Permit B013385. [District Rule 1302]

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 1041

SCC: 30301301

Location/UTM(Km):
672E/3905N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Castle Mountain Venture
980 American Pacific Dr.

Henderson, NV 89014

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

3. This equipment shall only vent to the Retort Carbon Scrubber under District Permit C013389.
[District Rule 1302]

4. A flow meter, of appropriate range, shall be installed and maintained (including calibration) in accordance with manufacturers specification.
[District Rule 1302]

5. When in operation, the minimum water flow rate is 2.5 gpm and the pressure drop shall be maintained within 4 and 10 inches water column. As an alternative, the owner/operator shall establish a minimum value as the operating limit for water flow rate (or line pressure) and pressure drop either during the performance test required in §63.11646(a), according to the manufacturer's specifications, or as approved by the District.
[District Rule 1302]

6. The owner/operator shall maintain an operations log for this unit current and on-site (or at a central location) for a minimum of five (5) years, and this log shall be provided to District, State and Federal personnel upon request. The log shall include, at a minimum, the information specified below:

- a. Daily pressure differential recording;
- b. Monthly water flow meter recording; and,
- c. Annual inspection of spray nozzle(s) and spray nozzle system.

[District Rule 1302]