



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### DUST CONTROL PLAN AUTHORIZATION

DCP000178

This Dust Control Plan is authorized in response to District Rule 302(J)(2). This authorization is designed to enforce the provisions of Division 26 of the California Health & Safety Code and applicable District Rules and Regulations. Operations covered by this authorization must be conducted in compliance with all information included with the initial submission and requirements specified below. Equipment referenced by this authorization must be maintained and kept in good operating condition at all times. This authorization shall be maintained on site at the location referenced below at all times

**EXPIRES LAST DAY OF: JANUARY 2026**

#### **OWNER OF OPERATOR (Co.#2733)**

NextEra Energy Capital Holdings, Inc.  
700 Universe Blvd.  
Juno Beach, FL 33408

#### **EQUIPMENT LOCATION (Fac.#941)**

Resurgence Solar & BESS  
41100 Highway 395  
Boron, CA 93516

#### **Description:**

DUST CONTROL PLAN (RULE 403(C)(9) SOLAR PHOTOVOLTAIC PROJECT) consisting of: a 1172 acre solar photovoltaic and battery energy storage installation on US395 producing a maximum of 138 MW in Boron. Contact person is Maria Elena Lopez (760) 373-6729 and twenty-four hour contact is ROCC (561) 694-3636. This Dust Control Plan and project/facility/site was inspected by District staff as required by Rule 403(D)(7) on [date tbd].

#### **REQUIREMENTS:**

1. The o/o shall install and maintain signage in accordance with Rule 403 Attachment B and as approved by the Air Pollution Control Officer (APCO).  
[Rule 403(D)(3)]

2. The owner/operator (o/o) shall comply with the dust control plan application submitted in response to Rule 403, as approved by the Air Pollution Control Officer (APCO) and incorporated into this Dust Control Plan (DCP) by reference, including those specific elements regarding watering for perimeter fencing, short-term stabilization, and high wind condition actions.  
[Rule 403(C)(9) and (D)(1)]

3. This DCP indicates that the dust control plan application submitted in response to Rule 403 has been conditionally approved by the APCO. Full approval of this DCP is contingent upon satisfying an initial on-site inspection by MDAQMD staff. This DCP remains valid until closure of the project, unless disapproved by the APCO or not recertified in accordance with Rules 302 and 403.

Fee Schedule: 12 (h)      Rating: 1172 solar acres      SIC: 4911      SCC: 2311020010      Location/UTM(Km): 450E/3874N

This plan does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This plan cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This plan must be renewed by the expiration date above. If billing for renewal fee required by Rule 302 is not received by expiration date above, please contact the District.

NextEra Energy Capital Holdings, Inc.  
700 Universe Blvd.  
Juno Beach, FL 33408

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

[Rules 302(J)(6) and 403(D)(5)]

4.The o/o must notify the Mojave Desert Air Quality Management District (District) within ten days if a significant change occurs to the project or operations covered by this DCP (by mail, facsimile or email to DCP@mdaqmd.ca.gov). An appropriately modified dust control plan application must be submitted to the District within thirty days of the change.

[Rule 403(D)(8)]

5.The o/o shall recertify this DCP annually through response to the renewal invoice and Rule 302.

[Rules 302(J)(6) and 403(D)(9)]

6.The o/o shall pay submittal, resubmittal/recertification, site inspection, and site stability inspection fees as specified in Rule 302, Rule 403 and as specified above, or this DCP shall be deemed disapproved by the APCO.

[Rule 403(D)(11)]

7.The o/o shall maintain a copy of the dust control plan application, and records demonstrating compliance with the requirements of this DCP and Rule 403. Compliance demonstration records are required only for those days that a control measure was implemented. Records shall be maintained for at least two years (or through the closure of the project), and shall be provided to District personnel upon request.

[Rule 403(F)(1)]

8.The o/o shall not cause or allow the emissions of fugitive dust from any transport, handling, construction or storage activity so that the fugitive dust is visible in the atmosphere beyond the property line of the emissions source.

[Rule 403(C)(1)]