



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

INACTIVE

S002864

Inactive type Permit has no description information.

EXPIRES LAST DAY OF: NOVEMBER 1999

OWNER OF OPERATOR (Co.#87)

Commanding Officer, MCLB Barstow, CA
Box 110570 Bldg 196 Attn: Air Program Manager
Barstow, CA 92311-5050

EQUIPMENT LOCATION (Fac.#1177)

USMC MCLB - Nebo Annex
USMC Logistics Base
Barstow, CA 923115013

Description:

PAINT SPRAY BOOTH, P-3 located in Bldg 53, consisting of: a Drive-in Booth with 16,000 ft3 (20' x 40' x 20'); Intake Air Filters; Down draft into center sump; Exhaust Fan: 48,748 ACFM. Motor: 20 BHP; dry filters at ground level over sump; and activated carbon cartridges downstream from the booth but upstream of the effluent stack.

CONDITIONS:

1. All coatings, diluents, thinners and solvents shall comply with District rules 1115, 1116, and 1118 in their entirety. These rules pertain to Metal Parts & Coating Operations; Automotive Refinishing Operations and Aerospace Vehicle Parts and Products Coating Operations.
2. A daily log shall be maintained of the VOC emissions from this facility which contains at least the following items:
 - a. Equipment used to apply coating;
 - b. Type of coating used and its VOC limit under the aforementioned rules;
 - c. Quantity of coating used and its VOC content;
 - d. Total VOC's generated by b. and c. above if covered by the aforementioned rules;
3. This log shall be kept current, on-site for a minimum of 2 years and provided to District personnel on request. (NOTE: The daily log information provides a basis for the Toxic Emission Inventory required by AB 2588.)

Fee Schedule: 7 (h)

Rating: 1 device

SIC: 9711

SCC: 9999999

Location/UTM(Km):
505E/3859N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Commanding Officer, MCLB Barstow, CA
Box 110570 Attn: Air Program Manager
Barstow, CA 92311-5050

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

4. Discharge filters and/or activated carbon cartridges shall be installed and maintained in a tightly mounted and dimensionally stable condition free of excessive deposits or interference with air flow passages.

5. This equipment shall be operated in strict accord with those recommendations of the manufacturer and sound engineering principles which produce the minimum emissions.

NOTE: Currently isocyanate emissions are not regulated. However, isocyanates, along with over 500 other compounds, are listed under AB2588 "Toxic Hot Spots Program". Most users of these compounds are required to file a Toxic Emissions Inventory. Furthermore, many users will have to do a Risk Assessment. Based upon the Risk Assessment you may be required to control the emissions of the listed compounds.