



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

**INACTIVE**

S004981

Inactive type Permit has no description information.

**EXPIRES LAST DAY OF: MARCH 2004**

### **OWNER OF OPERATOR (Co.#2326)**

ASB - El Centro  
19005 Wileys Well Rd  
Blythe, CA 92225

### **EQUIPMENT LOCATION (Fac.#1523)**

Ironwood State Prison - Plant Ops  
19005 Wileys Well Road  
Blythe, CA 92225

#### **Description:**

PAINT SPRAY BOOTH consisting of: Speedaire, Model 3Z911. This unit uses 2" x 20" x 20" arresotrs and will be used in the Vocational Drywall Classroom (Herrera).

#### **CONDITIONS:**

1. All coatings, solvents, application equipment and cleaning methods shall comply with District Rule 1114.

2. A daily record shall be maintained of the VOC emissions from this facility which contains at least the following items:

- A. Equipment used to apply coating.
- B. Type of coating used and its VOC limit under each of the above applicable Rules.
- C. Quantity of coating used and its VOC content.
- D. Total VOCs generated by B and C above if covered by the above applicable Rules.

This log shall be kept current, on-site for a minimum of two years and provided to District personnel on request. (NOTE: The daily log information provides a basis for the Toxic Emission Inventory required by AB 2588.)

3. Discharge filters shall be installed and maintained in a tightly mounted and dimensionally stable condition free of excessive deposits or interference with air flow passages.

4. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer, or if manufactured by the applicant, approved by the District APCO.

Fee Schedule: 7 (i)

Rating: 1 device

SIC: 9223

SCC: 99999999

Location/UTM(Km): 725E/3273N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

ASB - El Centro  
Ironwood State Prison  
  
El Centro, CA 92244

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

5.Only High Volume Low Pressure spray equipment and/or other methods approved in writing by the District APCO shall be used at this facility.

6.This facility (all spray booths) is limited to less than 25 pounds per day of operation of VOC emissions based on the logging of materials used in conditions 2, above, as well as all future sources.