



## MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310  
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

### RENEWAL

T002050

Renewal type Permit has no description information.

**EXPIRES LAST DAY OF: JUNE 2025**

#### OWNER OF OPERATOR (Co.#1)

CEMEX Construction Materials Pacific LLC  
16888 North E Street  
Victorville, CA 92392

#### EQUIPMENT LOCATION (Fac.#6)

CEMEX - River Plant  
16888 North E Street  
Victorville, CA 92392

#### Description:

SILO - GROUP II CEMENT STORAGE consisting of: Supplied by Finish Mills #7, #8, #9, and #10. Emissions controlled by: C000065 (LBH6), C001481 (NBH1), and C001483 (NBH2). Facility elevation is 2711 feet above sea level.

#### EQUIPMENT

Capacity	Equipment Description
269100	Silo 7: 35,976 CF
269100	Silo 8: 35,976 CF
653140	Silo 9: 87,318 CF
653140	Silo 10: 87,318 CF
653140	Silo 11: 87,318 CF
653140	Silo 12: 87,318 CF
70310	Silo A: 9,400 CF
70310	Silo B: 9,400 CF
70310	Silo E: 9,400 CF
70310	Silo F: 9,400 CF

#### CONDITIONS:

Fee Schedule: 5 (d)      Rating: 3432000 gallons      SIC: 3241      SCC: 30500618      Location/UTM(Km): 472E/3823N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

CEMEX Construction Materials Pacific  
LLC  
16888 North E Street  
Victorville, CA 92392

By: **COPY**  
**Brad Poiriez**  
Air Pollution Control Officer

1.All 10 silos are served by three dust collectors. Therefore, these silos shall not be filled unless vented to that functional air pollution control equipment covered by valid District permits C000065 (LBH6), C001481 (NBH1), and/or C001483 (NBH2). [District Rules 204 and 1303]

1.The owner/operator (o/o) shall maintain this baghouse in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of air contaminants.  
[District Rule 204]

2.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request. [District Rule 107(b), H&S Code 39607 & 44341-44342, and 40 CFR 51, Subpart A]

2.All 10 silos are served by three dust collectors. Therefore, these silos shall not be filled unless vented to that functional air pollution control equipment covered by valid District permits C000065 (LBH6), C001481 (NBH1), and/or C001483 (NBH2).  
[District Rules 204 and 1303]

3.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.  
[District Rule 107(b), H&S Code 39607 & 44341-44342, and 40 CFR 51, Subpart A]