



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA92392-2310
760.245.1661 -- 800.635.4617 -- FAX760.245.2022

RENEWAL

T007449

Renewal type Permit has no description information.

EXPIRES LAST DAY OF: MAY 2025

OWNER OF OPERATOR (Co.#2239)

CalPortland Company
19409 National Trails Hwy
Oro Grande, CA92368

EQUIPMENT LOCATION (Fac.#3)

CalPortland Oro Grande
19409 National Trails Hwy
Oro Grande, CA92368

Description:

LIMESTONE AND ADDITIVE STORAGE SYSTEM consisting of: Process Group 311

EQUIPMENT

Capacity	Equipment Description
10.2	Blended Limestone Bin 311BI101 (600 ton and 102,000 gallon capacity)
31.7	Corrective Raw Material/Additive Bin 311BI102 (2000 ton and 317,000 gallon capacity)
6.7	Raw Material Additive Bin 311BI103 (400 ton and 67,000 gallon capacity)
7.7	Raw Material Additive Bin 311BI104 (400 ton and 77,000 gallon capacity)

CONDITIONS:

1. This equipment must be installed, operated, and maintained in strict accordance with those recommendations of the manufacturer/supplier and/or sound engineering principles, which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment must also be operated in accordance with all data and specifications submitted with the application for this permit. [District Rule 204]

2. Bin 311BI101 shall not be operated unless vented to baghouse C007425 (311BF110). Bin 311BI102 shall not be operated unless vented to baghouse C007429 (311BF101). Bins 311BI103 and 311BI104 shall not be operated unless vented to baghouse C007430 (311BF111). [District Rules 204, 1303(A)]

Fee Schedule: 5 (c) Rating: 563000 gallons SIC: 3241 SCC: 30510105 Location/UTM(Km): 469E/3830N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

CalPortland Company
Attn: Catalina Elias

Oro Grande, CA92368

By: **COPY**
Brad Poiriez
Air Pollution Control Officer

3.All equipment shall be operated in compliance with applicable requirements of 40 CFR 63 Subpart LLL - National Emission Standard for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry.
[40 CFR Part 63 Subpart LLL]