



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

PERMIT TO OPERATE

T010743

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: DECEMBER 2026

OWNER OF OPERATOR (Co.#866)

Southern California Logistics Airport
18374 Phantom
Victorville, CA 92394

EQUIPMENT LOCATION (Fac.#3149)

Victorville - SCLA Fuel Farm #2
18373 Gateway
Victorville, CA 92394

Description:

FUEL FARM, AVIATION consisting of: Tank farm storing Jet A and Aviation Gasoline including; tanks, pumps, flanges, pipes, filters, valves, and motors.

EQUIPMENT

Capacity	Equipment Description
381275	Tank 2; 24ft high X 52ft diameter, Calculated volume is 50,969 cubic foot = 381,234 gallons
381275	Tank 3; 24ft high X 52ft diameter, Calculated volume is 50,969 cubic foot = 381,234 gallons
20000	Tank 104; 20,000 gallon aboveground Jet A Fuel Storage Tank
10000	Tank 105; 10,000 gallon aboveground Jet A Fuel Storage Tank
10000	Tank 106; 10,000 gallon aboveground Jet A Fuel Storage Tank

CONDITIONS:

1. Operation of this equipment shall be conducted in compliance with all data and specifications submitted with the application.

Fee Schedule: 5 (c)

Rating: 802550 gallons

SIC: 4581

SCC: 40600651

Location/UTM(Km):
464E/3827N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

<p>Southern California Logistics Airport 18374 Phantom Victorville, CA 92394</p>
--

By: **COPY**
Eldon Heaston
 Air Pollution Control Officer

2. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants.

3. These tanks shall only store Jet A, JP-8, Diesel or waste of same each with a vapor pressure less than 1.5 psia under actual storage conditions.

[District Rule 463]

4. Throughput records shall be kept on site and available to District personnel upon request.

5. This facility shall not emit more than 8 t/y of a single HAP and 20 t/y of all HAP's. To ensure compliance, the owner/operator shall calculate and record the annual emissions of Federal Hazardous Air Pollutants (HAP's) in tons per year (t/y) on a calendar year basis (January 1 through December 31). The list of HAP's can be found in Section 112(b)(1) of the Federal Clean Air Act or at web site: <http://www.epa.gov/ttn/atw/188polls.html>

6. The owner/operator (o/o) shall completely offset the maximum annual potential-to-emit for permitted and unpermitted equipment used in the support/operations of aircraft and/or an airfield, including aerospace ground equipment, added after April 1, 1999 at this facility that replace or perform essentially the same function as retired equipment associated with the shutdown of George Air Force Base for which emission reduction credits were issued.

The o/o shall maintain on site a copy of the ERC contract between the Southern California International Airport Authority and the MDAQMD.

This emergency engine does not meet the criteria specified and is not subject to the banked ERC offsetting requirement.

7. The emissions from this facility shall be less than the following limits:

a. 8 tons per year of any single HAP or 20 tons per year of any combination of HAPs on a 12 month calendar year basis;

b. 12 tons of PM10 per year on a 12 month calendar year basis;

c. 20 tons of NOx per year on a 12 month calendar year basis;

d. 20 tons of VOC per year on a 12 month calendar year basis;

e. 20 tons of CO per year on a 12 month calendar year basis; and,

f. 20 tons of SOx per year on a 12 month calendar year basis.

Compliance with this limit shall be verified with monthly facility emission summaries and an annual emissions inventory. Monthly emissions summaries shall be calculated using a District-approved method, with at least the last two years of monthly emissions summaries maintained and available to be provided to District, State or Federal personnel upon request. A comprehensive emission inventory including both criteria pollutants and HAP/TAC shall be submitted every third submission.

8. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request. A comprehensive emission inventory including both criteria pollutants and HAP/TAC shall be submitted every third submission.

[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]