



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

AUTHORITY TO CONSTRUCT

T011582

If construction is not completed by the expiration date of this permit, it may be renewed for one additional year upon payment of applicable fees. Any additional extension will require the written approval of the Air Pollution Control Officer. This Authority to Construct may serve as a temporary Permit to Operate provided the APCO is given prior notice of intent to operate and the Permit to Operate is not specifically denied.

EXPIRES LAST DAY OF: FEBRUARY 2027

OWNER OF OPERATOR (Co.#2349)

MP Mine Operations LLC
67750 Bailey Road
Mountain Pass, CA 92366

EQUIPMENT LOCATION (Fac.#364)

Mountain Pass Mine
67750 Bailey Road
Mountain Pass, CA 92366

Description:

WATER TREATMENT PLANT ACID DAY TANK consisting of:

EQUIPMENT

Capacity	Equipment Description
0	J90-TK23 Hydrochloric Acid Bulk Storage Tank 900 gallon
5	J90-P43 Acid Regeneration Pump
5	J90-P44 Acid Regeneration Pump

CONDITIONS:

1. Operation of this equipment shall be conducted in compliance with all data and specifications submitted with the application under which this permit is issued unless otherwise noted below.

Fee Schedule: 5 (a)

Rating: 1000 gallons

SIC: 1099

SCC: N/A

Location/UTM(Km):
634E/3926N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

MP Mine Operations LLC
1700 S. Pavilion Center Drive, 8th Floor
Las Vegas, NV 89135

By: **COPY**
Brad Poiriez
Executive Director

2. This equipment shall be operated and maintained in strict accord with the recommendations of the manufacturer or supplier and/or sound engineering principles.

3. This equipment shall not discharge hydrogen chloride at more than a maximum of 800 ppm v/v, per District rule 406. To demonstrate compliance with this limit, the owner/operator, o/o, shall demonstrate that the HCl concentration in the liquid shall remain at or below an HCl concentration of 37% in the Acid Day Tank.

The concentration shall be estimated weekly according to a district approved protocol, with results logged. The log shall be maintained current, kept on-site for a minimum of 5 years, and provided to District personnel on request.