



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA 92392-2310
760.245.1661 -- 800.635.4617 -- FAX 760.245.2022

AUTHORITY TO CONSTRUCT

T015388

If construction is not completed by the expiration date of this permit, it may be renewed for one additional year upon payment of applicable fees. Any additional extension will require the written approval of the Air Pollution Control Officer. This Authority to Construct may serve as a temporary Permit to Operate provided the APCO is given prior notice of intent to operate and the Permit to Operate is not specifically denied.

EXPIRES LAST DAY OF: JULY 2026

OWNER OF OPERATOR (Co.#1033)

Hi-Grade Materials Company, Inc
17671 Bear Valley Road
Hesperia, CA 92345

EQUIPMENT LOCATION (Fac.#1000)

Hi-Grade Materials-Adelanto Rd
17450 Adelanto Road
Adelanto, CA 92301

Description:

STORAGE SILO, CEMENT consisting of: "REX" Lo-Go 10, model 350661, with a capacity of 14,700 gallons and a screw conveyor with a 30 hp motor. Guppy with a capacity of 370,000 pounds of cement (27,600 gallons).

CONDITIONS:

1. This equipment shall be installed, operated and maintained in strict accord with those recommendations of the manufacturer/supplier and/or sound engineering principles which produce the minimum emissions of contaminants. Unless otherwise noted, this equipment shall also be operated in accordance with all data and specifications submitted with the application for this permit.

[District Rule 1302]

2. This equipment shall be used for the storage and transfer of cement material only.

[District Rule 204]

3. During silo loading operations, emissions from this equipment must be controlled by the Air Pollution Control Device under valid District permit C015391 which must be operated during all loading operations.

[District Rule 1302]

Fee Schedule: 5 (a)

Rating: 14700 gallons

SIC: 3273

SCC: 30501115

Location/UTM(Km):
462E/3826N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Hi-Grade Materials Company, Inc
17671 Bear Valley Road
Hesperia, CA 92345

By: **COPY**
Eldon Heaston
Air Pollution Control Officer

4. This storage silo and associated equipment must be operated such that no visible emissions from the equipment result in an opacity greater than 20 percent on the Ringelmann Chart for a period or periods aggregating more than three (3) minutes in any one hour.

[District Rule 401(a)]

5. The owner/operator shall maintain current and on-site for two (2) years a log of the following information, which shall be provided to District personnel upon request:

a. Monthly visible emissions evaluations (when silo is being filled) using EPA Method 22 (and EPA method 9 if Method 22 detects visible emissions. In lieu of Method 9, owner/operator may cease operations until deficiencies contributing to opacity are corrected.)

b. Records of all maintenance and repairs.

[District Rule 204 and 401]

6. A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.

[District Rule 107(b), H&S Code 39607 & 44341-44342, 17 CCR 93400 et seq., and 40 CFR 51, Subpart A]