



MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

14306 Park Avenue Victorville, CA92392-2310
 760.245.1661 -- 800.635.4617 -- FAX760.245.2022

PERMIT TO OPERATE

B002239

Operation under this permit must be conducted in compliance with all information included with the initial application, initial permit condition, and conditions contained herein. The equipment must be maintained and kept in good operating condition at all times. This Permit to Operate or copy must be posted on or within 8 meters of equipment. If a copy is posted, the original must be maintained on site, available for inspection at all times.

EXPIRES LAST DAY OF: NOVEMBER 2025

OWNER OF OPERATOR (Co.#341)

Sherwin-Williams Company, The
 12401 Industrial Blvd
 Victorville, CA92392

EQUIPMENT LOCATION (Fac.#1003)

Sherwin-Williams Company, The
 12401 Industrial Blvd
 Victorville, CA92392

Description:

PAINT MIXING AND FILLING EQUIPMENT (BLDG B) consisting of: Selected paint handling equipment (dispersion, thindown/letdown, milling, and filling), which is vented to the dust collectors with District Permits C002246 and C012887.

EQUIPMENT

Capacity	Equipment Description
0	Eight Fillers (#1 through #8), with no associated horsepower
100	Four Thindown Tanks (#1 through #4) 2,300 gal and 25 hp each
150	Tank #5, with High Speed Dispenser (1,200 gal)
125	Tank #6, with High Speed Dispenser (1,200 gal)
150	Tank #7, with High Speed Dispenser (2,200 gal)
75	Tank #9, Thindown with High Speed Dispenser (850 gal)
75	Tank #10, Thindown with High Speed Dispenser (850 gal)
100	Tank #11, with High Speed Dispenser (2,200 gal)
150	Tank #12, with High Speed Dispenser (2,200 gal)
100	Tank #13, Thindown (1,000 gal)
100	Tank #14, Thindown (1,000 gal)
100	Tank #15, with High Speed Dispenser (2,000 gal)
120	Tank #16, with High Speed Dispenser (2,000 gal)

Fee Schedule: 1 (d) Rating: 2420bhp SIC: 2851 SCC: 30101401 Location/UTM(Km): 474E/3815N

This permit does not authorize the emission of air contaminants in excess of those allowed by law, including Division 26 of the Health and Safety Code of the State of California and the Rules and Regulations of the District. This permit cannot be construed as permission to violate existing laws, ordinances, statutes or regulations of this or other governmental agencies. This permit must be renewed by the expiration date above. If billing for renewal fee required by Rule 301(c) is not received by expiration date above, please contact the District.

Sherwin-Williams Company, The
 12401 Industrial Blvd
 Victorville, CA92392

By: **COPY**
 Brad Poiriez
 Air Pollution Control Officer

Capacity	Equipment Description
120	Tank #17, with High Speed Dispenser (Swings to Tank #18) (1,000 gal)
0	Tank #18, with High Speed Dispenser (1,000 gal)
400	Tank #19, with High Speed Dispenser (4,000 gal)
350	Tank #20, with High Speed Dispenser (4,000 gal)
60	Tank #21, Blending with Mixer (4,000 gal)
25	High Speed Dispenser BP-01 for Portable Tanks (Serial No. 775-25-1)
25	High Speed Dispenser BP-02 for Portable Tanks (Serial No. 775A-25)
10	Mixer B01 for Portable Tanks (Serial No. DP-A0256)
25	Mixer B02 for Portable Tanks (Serial No. 9HM10M)
60	Mixer B03 for Portable Tanks (Serial No. 1870407)

CONDITIONS:

1.The owner/operator shall operate this equipment in strict accord with the manufacturer's specification and/or sound engineering principles.

1.The owner/operator shall operate this equipment in strict accord with the manufacturer's specification and/or sound engineering principles.

2.Operation of this equipment shall be conducted in compliance with data and specifications submitted with the application under which this permit is issued unless otherwise noted below.

2.Operation of this equipment shall be conducted in compliance with data and specifications submitted with the application under which this permit is issued unless otherwise noted below.

3.Tanks 1 through 7,9 through 14 and 21 and the portable tank mixers BP-01, BP-02, B01, B02 and B03 shall be vented to the properly operating dust collector under valid District Permit C002246 when active.

3.Coating manufacturing processes to be conducted in closed vessels only.
[District Rule 1303 BACT]

4.Tanks 15, 16, 17, 18, 19 and 20 shall be vented to the properly operating dust collector under valid District Permit C012887 when active.

4.Tanks 1 through 7,9 through 14 and 21 and the portable tank mixers BP-01, BP-02, B01, B02 and B03 shall be vented to the properly operating dust collector under valid District Permit C002246 when active.

5.Emissions from this facility shall not exceed:

- a. 12 tons/year of PM10, based on a rolling twelve month basis; and
 - b. 1,190 pounds of VOC emissions per month, based on a rolling twelve-month basis; and
 - c. 8 tons per year for any single HAP and 20 tons per year for any combination of HAPs, calculated on a rolling twelve-month basis. HAPs defined in Section 112(b) of the Federal Clean Air Act, see <http://www.epa.gov/ttn/atw/orig189.html>).
- [District Rules 1303 - Requirements and 1320 - NSR for Toxic Air Contaminants]

5.Tanks 15, 16, 17, 18, 19 and 20 shall be vented to the properly operating dust collector under valid District Permit C012887 when active.

6.The owner/operator of this facility shall maintain an operations log current and on-site for two (2) years, and shall be provided to District personnel upon request. This log shall demonstrate compliance with the emission limits specified in condition 6, using a District-approved method, with at least the last twenty four months of rolling emissions summaries maintained for a minimum of two years and provided to District, State or Federal personnel upon request.
[District Rule 1303 - Requirements]

6.Aggregate VOC emissions from Paint Mixing and Filling Equipment under B002239 and Small Batch Center under B009770 shall not exceed 25 lb/hour.
[District Rule 1303 BACT]

7.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.
[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]

7.Emissions from this facility shall not exceed:

- a. 12 tons/year of PM10, based on a rolling twelve month basis; and
 - b. 1,190 pounds of VOC emissions per month, based on a rolling twelve-month basis; and
 - c. 8 tons per year for any single HAP and 20 tons per year for any combination of HAPs, calculated on a rolling twelve-month basis. HAPs defined in Section 112(b) of the Federal Clean Air Act, see <http://www.epa.gov/ttn/atw/orig189.html>).
- [District Rules 1303 - Requirements and 1320 - NSR for Toxic Air Contaminants]

8.The owner/operator of this facility shall maintain an operations log current and on-site for two (2) years, and shall be provided to District personnel upon request. This log shall demonstrate compliance with the VOC limit designated in conditions 6 and 7, and the HAP limit designated in condition 7, using a District-approved method, with at least the last two years of monthly emissions summaries maintained for a minimum of two years and provided to District, State or Federal personnel upon request.
[District Rules 1303 and 1320]

9.A facility wide Comprehensive Emission Inventory (CEI) for all emitted criteria and toxic air pollutants must be submitted to the District, in a format approved by the District, upon District request.
[District Rule 107(b); H&S Code 39607 & 44341-44342; and 40 CFR 51, Subpart A]